

Stainless Steel Cutter Mixer -

Microtoothed

W

9

90

CLa

# **Food Processor** Stainless Steel Cutter Mixer - 11.5 LT -**Variable Speed with Microtoothed** Blade, Bowl and Scraper

ITEM #
MODEL#
NAME #
AIA #
ЛІЛ Т



600093 (DKE120S)

Cutter mixer 11,5 lt capacity, timer, variable speed 300-3500 rpm. Supplied with microtoothed blade rotor and stainless steel bowl

# **Short Form Specification**

Item No.

Cutter mixer for mixing, chopping, mincing and liquidising. 11,5 litre capacity 304 AISI stainless steel bowl and base hinged transparent BPA free cover with a watertight seal. Lid central opening allows products to be added during the preparation.

Angled perforated micro toothed blades and scraper ensure consistent mixing.

Parts in contact with food are removable and dismountable for efficient cleaning.

Safety granted by magnetic microswitch which stops the machine if lid or bowl are not correctly positioned.

A safety device stops the machine restarting after a power cut, until the operator presses the start button. Touch button control panel, IP65 protection with low voltage level. Model equipped with micro toothed blade, bowl and scraper. Variable speed rotation: 300 to 3500 rpm.

### Main Features

- Productivity suitable for 100-200 meals per
- Food processor allows fast liquidizing, mixing, mincing, chopping and pastrymaking.
- Delivered with:
- -11.5 liter stainless steel bowl with max liquid level indication to avoid spillage
- -micro toothed perforated blade -scraper
- Angled perforated knives and conical base of the bowl ensure consistent mixing.
- Lid with central opening to add ingredients in mid-cycle.
- Base fixed cover for a better handling.
- Cover metal frame to ensure seal water tightness to avoid leakage.
- All parts in contact with food are removable without tools and completely dismountable.

# Construction

- 304 AISI stainless steel bowl with leak resistant spout and handles, easy to manage.
- Scraper with SS handle, easy to dismount.
- Variable speed from 300 to 3500 rpm.
- Power: 2200 watts.
- IP65 touch button control panel.
- Cover handle with double safety locking system.
- Transparent BPA free cover incorporates a magnetic safety system which stops the machine if lid is not properly closed.
- A safety device requires to press the start button to restart the machine after a power
- Asynchronous silent industrial motor for heavy duty and longer life.

#### **Included Accessories**

- 1 of Scraper for K120S and PNC 650059 KE120S cutter mixer
- 1 of Microtoothed blade rotor PNC 650060 for 11,5 lt cutter mixer
  - 1 of Stainless steel bowl for 11,5 PNC 650073 It cutter mixer

## Optional Accessories

- Scraper for K120S and KE120S PNC 650059 🗆 cutter mixer
- Microtoothed blade rotor for PNC 650060 🗆 11,5 lt cutter mixer
- Stainless steel bowl for 11,5 lt PNC 650073 🗆 cutter mixer

APPROVAL:






• Stainless steel mobile stand. Height: 730 mm for BPO models	PNC 653017	
<ul> <li>Serrated blade rotor for 11,5 lt cutter mixer</li> </ul>	PNC 653299	
• Serrated blade rotor for meat for 11.5 lt cutter mixer	PNC 653538	







Electric	
Supply voltage: Electrical power max: Total Watts:	200-240 V/1N ph/50/60 Hz 2.2 kW 2.2 kW
Capacity:	
Performance (up to): Capacity:	6 kg/Cycle 11.5 litres
Key Information:	
External dimensions, Width: External dimensions, Depth:	416 mm 680 mm
External dimensions, Height: Shipping weight:	517 mm 72 kg