

Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

| 1 | EM # |
|----------|--------|
| <u>N</u> | 10DEL# |
| Ν | IAME# |
| S | |
| | JA# |
| | |



602231 (TR210)

Motor block for vegetable slicer, 2 speeds 340-680 rpm (hopper not included)

Short Form Specification

Item No.

For catering facilities, up to 1000 meals per service, specially designed for cuts of vegetables. 2 speeds vegetable slicer (340 and 680 rpm). "No volt release" safety device. Self-braking motor. On/off switch on the body of the machine. Table top version. Motor block only, hopper not included. Add standard lever operated hopper and/or long vegetable hopper and discs/grids to operate the appliance.

Main Features

- Motor block only: lever-operated or automatic and/or long vegetable hopper and discs/grids need to be added to operate the appliance.
- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Optional automatic hopper with 5/6kg capacity for continuous feed available.
- High flexibility and ergonomy thanks to the available optional accessories.
- Smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation (optional).
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).

Construction

- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Discs (available on request) are made in stainless steel and dishwasher safe.

Optional Accessories

- Stainless steel trolley for TR210 PNC 650065 ☐ with 1/1 GN tray rails (GN tray not included)
- Stainless steel shredding disc PNC 650077 □ with S-blades 4x4 mm
- Stainless steel shredding disc with S-blades 6x6 mm (can also be used for French fries)
- Stainless steel shredding disc with S-blades 8x8 mm (can also be used for French fries)
- Stainless steel shredding disc with S-blades 10x10 mm (can also be used for French fries)
- Stainless steel pressing/slicing PNC 650081
 disc with S-blades 0,6 mm
 (can be used for slicing or combined with grids)
- Stainless steel pressing/slicing disc with S-blades 1 mm (can be used for slicing or combined with grids)
- Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for slicing or combined with grids)

APPROVAL:




Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

| • | Stainless steel pressing/slicing disc with S-blades 3 mm (can be | PNC 650084 | | | Aluminum pressing/slicing disc with straight blades 8 mm - for dicing | PNC 650116 | |
|---|--|-------------|----------|---|---|------------|--|
| | used for slicing or combined with grids) | | | • | Stainless steel shredding disc with S- blades 2x8 mm | PNC 650158 | |
| • | Stainless steel pressing/slicing disc with S-blades 4 mm (can be | PNC 650085 | | • | Stainless steel shredding disc with S-blades 2x10 mm | PNC 650159 | |
| | used for slicing or combined with grids) Stainless steel pressing/slicing | PNC 650086 | | | Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids) | PNC 650160 | |
| | disc with S-blades 5 mm (can be used for slicing or combined with grids) | PNC 030000 | | • | Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing or combined with grids) | PNC 650161 | |
| • | Stainless steel pressing/slicing disc with S-blades 6 mm (can be used for slicing or combined with grids) | PNC 650087 | | • | Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be used for slicing or combined with grids) | PNC 650162 | |
| • | Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with grids) | PNC 650088 | | • | Stainless steel pressing/slicing disc with corrugated S-blades 10 mm (can be used for slicing or combined with grids) | PNC 650164 | |
| • | Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or | PNC 650089 | | • | Stainless steel pressing/slicing disc with S-blades 13 mm (can be used for slicing or combined with grids) | PNC 650165 | |
| • | combined with grids) Stainless steel pressing/slicing | PNC 650090 | | • | Stainless steel shredding disc with S- blades 2x2 mm | PNC 650166 | |
| | disc with corrugated S-blades 3 mm (can be used for slicing or combined with grids) | | | • | Stainless steel shredding disc with S-blades 3x3 mm | PNC 650167 | |
| • | Stainless steel pressing/slicing disc with corrugated S-blades 6 mm (can be used for slicing or | PNC 650091 | _ | | Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs) | PNC 650178 | |
| | combined with grids) | | | • | Dicing grid 5x5 mm | PNC 653566 | |
| • | Bistrot Pack-set stainless steel | PNC 650092 | | • | Dicing grid 8x8 mm | PNC 653567 | |
| | discs (2mm and 5mm slicing | | | • | Dicing grid 10x10 mm | PNC 653568 | |
| | pressing disc, 2mm grating disc) | DNG CEOOO (| | • | Dicing grid 12x12 mm | PNC 653569 | |
| • | Stainless steel lever-operated hopper for TR210 (no cutting | PNC 650094 | _ | • | Dicing grid 20x20 mm | PNC 653570 | |
| | chamber, no ejector) | | | • | Grid for chips 6x6 mm | PNC 653571 | |
| • | Set of 3 stainless steel discs for | PNC 650107 | | | Grid for chips 8x8 mm | PNC 653572 | |
| | Pizza (2mm and 4mm pressing/ | | | • | Grid for chips 10x10 mm | PNC 653573 | |
| | slicing discs with S-blades, 7mm grating disc) | | | • | Support for 1 disc, diam. 175mm and 205mm | PNC 653632 | |
| • | Stainless steel long vegetable hopper with 4 tubes different | PNC 650109 | | • | Ejector disc | PNC 653772 | |
| | sizes with pusher (no cutting | | | • | Stainless steel grating disc 2 mm | PNC 653773 | |
| | chamber, no ejector) for TR210 | | | • | Stainless steel grating disc 3 mm | PNC 653774 | |
| • | Cleaning tool for TRS, TRK & TR210 | PNC 650110 | | | Stainless steel grating disc 4 mm | PNC 653775 | |
| | 5-8-10 mm dicing grids | | | | Stainless steel grating disc 7 mm | PNC 653776 | |
| • | Dicing set 10x10x10mm (10mm | PNC 650112 | | | Stainless steel grating disc 9 mm | PNC 653777 | |
| | aluminum slicing pressing disc with 205mm diam. and 10mm grid) | | | • | Stainless steel grating disc for knoedeln and bread | PNC 653778 | |
| • | Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing | PNC 650113 | | | Stainless steel grating disc for parmesan and bread | PNC 653779 | |
| | discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool | | | | Stainless steel automatic hopper tr210 (no cutting chamber, no ejector) dim (w)450 (d)416 (h)450mm | PNC 653884 | |
| • | Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool | PNC 650114 | | | + agitator | | |
| • | Aluminum pressing/slicing disc with straight blades 10 mm - for dicing | PNC 650115 | | | | | |





Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds



Electric 380-415/380-440 V/3 ph/50/60 Hz Supply voltage: Electrical power, max: 0.75 kW **Total Watts:** 0.75 kW Capacity: Performance (up to): 2100 kg/Cycle Key Information: External dimensions, Width: 400 mm External dimensions, 250 mm Depth: External dimensions, Height: 420 mm **Shipping weight:** 34.7 kg