

Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper - 1 Speed

| ITEM # |
|--------|
| MODEL# |
| NAME # |
| SIS# |
| AIA# |



600411 (DTR210Y1V)

Vegetable slicer, automatic hopper, 1 speed 340 rpm.

Short Form Specification

Item No.

For medium catering facilities, up to 1000 meals per service, specially designed for slicing, grating, julienne and dicing. Stainless steel automatic feed hopper allows large scale preparations (up to 2100 kg/h).

Parts in contact with food - stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Asynchronous industrial motor for heavy duty and longer life.

Safety granted by magnetic micro switch which stops the machine if hopper is not correctly positioned.

Waterproof (IP55) control panel with "no volt release "safety device.

1 speed model (340 rpm). Table top version.

Manual lever-operated hopper, long vegetable hopper and ergonomic stand trolley available as optional accessories.

Main Features

- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetableslicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Delivered with:
 - -automatic hopper
 - -cutting chamber
 - -ejector disc
- Continuous feed model, hopper capacity is 5/6 kg.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- High flexibility and ergonomy thanks to the available optional accessories.
- Smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation (optional).
- Long vegetable hopper (4 round hoppers with different size) available as optional accessory to better fit different type of vegetables/fruits.
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).

Construction

- All discs (available on request) are made in stainless steel and dishwasher safe.
- Automatic hopper are made entirely in stainless steel for better durability.
- Long vegetable hopper, lever operated hopper and the smart trolley are made in stainless steel.
- Power: 500 Watts.
- 1 speed: 340 rpm
- Asynchronous silent industrial motor for heavy duty and longer life.

Included Accessories

• 1 of Ejector disc PNC 653772

Optional Accessories

- Stainless steel trolley for TR210 PNC 650065 ☐ with 1/1 GN tray rails (GN tray not included)
- Stainless steel shredding disc PNC 650077
 with S-blades 4x4 mm
- Stainless steel shredding disc PNC 650078 D with S-blades 6x6 mm (can also be used for French fries)
- Stainless steel shredding disc with S-blades 8x8 mm (can also be used for French fries)

APPROVAL:



Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper - 1 Speed

| • | Stainless steel shredding disc with S-blades 10x10 mm (can also be used for French fries) | | _ | 5mm and discs, 2mr | ny Pack-set discs (2mm, 10mm slicing pressing n grating disc, 4x4mm ı disc, 10x10mm dicing grid) | PNC 650113 | |
|---|--|-------------|---|----------------------------|---|--------------------------|---|
| • | Stainless steel pressing/slicing disc with S-blades 0,6 mm (can be used for slicing or combined | PNC 650081 | | and grid c Set of 7 dis | leaning tool scs (2mm, 5mm and 10mm | PNC 650114 | |
| • | with grids) Stainless steel pressing/slicing | PNC 650082 | | 7mm grat | essing discs, 2mm and ing discs, 4x4mm | | |
| | disc with S-blades 1 mm (can be used for slicing or combined with | | | and grid c | disc, 10x10mm dicing grid) leaning tool | DNG CEONE | |
| • | grids) Stainless steel pressing/slicing | PNC 650083 | | straight bl | n pressing/slicing disc with ades 10 mm - for dicing | | |
| | disc with S-blades 2 mm (can be used for slicing or combined with | | | straight bl | ades 8 mm - for dicing | PNC 650116 | |
| • | grids) Stainless steel pressing/slicing | PNC 650084 | | blades 2x8 | | | |
| | disc with S-blades 3 mm (can be used for slicing or combined with | | • | Stainless s blades 2x1 | steel shredding disc with S- 0 mm | PNC 650159 | |
| • | grids) Stainless steel pressing/slicing disc with S-blades 4 mm (can be | PNC 650085 | | with S-bla | steel pressing/slicing disc des 10 mm (can be used for combined with grids) | PNC 650160 | |
| | used for slicing or combined with grids) | | | Stainless s with S-bla | steel pressing/slicing disc des 12 mm (can be used | PNC 650161 | |
| • | Stainless steel pressing/slicing disc with S-blades 5 mm (can be | PNC 650086 | | 9 | or combined with grids) | DNIC (50162 | |
| | used for slicing or combined with grids) | DNIO 650005 | | with corru be used fo | steel pressing/slicing disc Igated S-blades 8 mm (can or slicing or combined with | PNC 650162 | |
| • | Stainless steel pressing/slicing disc with S-blades 6 mm (can be | PNC 650087 | | | steel pressing/slicing disc | PNC 650164 | |
| | used for slicing or combined with grids) | | | | gated S-blades 10 mm (can or slicing or combined with | | |
| • | Stainless steel pressing/slicing disc with S-blades 8 mm (can be | PNC 650088 | | grids) | | | |
| | used for slicing or combined with grids) | | • | with S-bla | steel pressing/slicing disc des 13 mm (can be used or combined with grids) | PNC 650165 | |
| • | Stainless steel pressing/slicing disc with corrugated S-blades 2 | PNC 650089 | | _ | steel shredding disc with S- | PNC 650166 | |
| | mm (can be used for slicing or combined with grids) | | | Stainless s blades 3x3 | steel shredding disc with S- 3 mm | PNC 650167 | |
| • | Stainless steel pressing/slicing disc with corrugated S-blades 3 mm (can be used for slicing or combined with grids) | PNC 650090 | • | and 5mm 2mm and | ainless steel discs (2mm slicing pressing discs, 7mm grating discs) | PNC 650178 | |
| • | Stainless steel pressing/slicing | PNC 650091 | _ | Dicing grid | | PNC 653566 | |
| | disc with corrugated S-blades 6 mm (can be used for slicing or | | | Dicing grid | | PNC 653567 | |
| | combined with grids) | | | | d 10x10 mm | PNC 653568 PNC 653569 | |
| • | Bistrot Pack-set stainless steel | PNC 650092 | | | d 12x12 mm d 20x20 mm | PNC 653570 | |
| | discs (2mm and 5mm slicing | | | | nips 6x6 mm | PNC 653570 | |
| _ | pressing disc, 2mm grating disc) | PNC 650094 | | | nips 8x8 mm | PNC 653571 | |
| • | Stainless steel lever-operated hopper for TR210 (no cutting | PINC 650094 | | | nips 0x0 mm | PNC 653572 PNC 653573 | |
| | chamber, no ejector) | | | | or 1 disc, diam. 175mm and | PNC 653632 | |
| • | Set of 3 stainless steel discs for Pizza (2mm and 4mm pressing/ | PNC 650107 | | 205mm | | | |
| | slicing discs with S-blades, 7mm | | | Ejector dis | | PNC 653772 | |
| | grating disc) | | | | steel grating disc 2 mm | PNC 653773 | |
| • | Stainless steel long vegetable | PNC 650109 | | | steel grating disc 3 mm | PNC 653774 | |
| | hopper with 4 tubes different sizes with pusher (no cutting | | | | steel grating disc 4 mm | PNC 653775 | |
| | chamber, no ejector) for TR210 | | | | steel grating disc 7 mm | PNC 653776 | |
| • | Cleaning tool for TRS, TRK & TR210 | PNC 650110 | | | steel grating disc 9 mm | PNC 653777 | |
| | 5-8-10 mm dicing grids Dicing set 10x10x10mm (10mm | PNC 650112 | | knoedeln | | PNC 653778 | _ |
| | aluminum slicing pressing disc with 205mm diam. and 10mm grid) | | • | | steel grating disc for and bread | PNC 653779 | |



grid)






• Stainless steel automatic hopper tr210 (no cutting chamber, no ejector) dim (w)450 (d)416 (h) 450mm + agitator PNC 653884 □





Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper - 1 Speed



Electric Supply voltage: 220-240 V/1N ph/50 Hz Electrical power, max: 0.5 kW **Total Watts:** 0.5 kW Key Information: External dimensions, Width: 416 mm External dimensions, 490 mm Depth: External dimensions, 690 mm Height:

36 kg

Shipping weight:

