

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		
,,		





600429 (DTRK55YA)

Combined cutter/vegetable slicer, variable speed 300 to 3700 rpm. Supplied with 5,5 lt stainless steel cutter bowl and lever operated feed hopper - Australia

Short Form Specification

Item No.

3 in 1 machine: cutter, emulsifier and slicer to slice, grate, liquidise, mix and mince in a matter of seconds. Easily change from vegetable slicer to food processor without any tool. All parts in contact with food are removable, dismountable and dw safe. Incly system to change the motor base orientation (20°) to facilitate loading and unloading operations with the vegetable slicer attachment. Vegetable slicer attachment: Universal vegetable slicer offering about 80 different types of cuts. Long vegetable hopper (55,5mm diameter) integrated in the wide 3/4 moon stainless steel round hopper (215cm²). User-friendly stainless steel lever (better pressure control, with less effort for arms and shoulder), designed for right and left handed users. High discharge zone (up to 20cm) for GN containers. Automatic start/stop function will stop the machine when the lever hopper is lifted and will restart automatically when lowered. Cutter-mixer: Stainless steel 5.5 litre bowl with unique design for mixing both large or small quantities. Unique high chimney increases the real capacity of the bowl (use up to 75% of nominal capacity). Transparent lid to check consistency of food and to eventually add ingredients without having to open the lid. Hinged cover, when lifted, remains open to permit a fast and easy check of preparation. Ergonomic and easily dismountable scraper, in heavy duty composite material, for better homogenization. Micro toothed blades in 420 AISI stainless steel. Multiple safety devices ensure the machine will only operate when the cover is properly closed and all parts are correctly positioned. Asynchronous industrial motor for heavy duty and longer life. Flat and waterproof control panel with on/off button, pulse function and variable speed (from 300 to 3700rpm).

Main Features

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incly system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- · Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- · Delivered with:
 - Stainless steel lever operated feed hopper
 - -5,5 It stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor
- Capacity:
 - vegetable slicer productivity 550 kg/h, suitable for 100-400 meals for table service, up to 800 meals for catering service
 cutter mixer working capacity from 100 g to 2,5 kg, for 50-100 meals per service

Construction

- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- All blades (available on request) are made in stainless steel and dishwasher safe.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids.
- Feeding arm and hopper are made entirely in stainless steel.
 Aluminum motor housing.
- Vegetable cutting at 4 speeds up to 800 rpm. Food processing at 10 variable speeds: 300-3700 rpm.
- IP24 throughout entire machine.
- Power: 1.3 HP.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- · Compact and portable design.
- Improved ventilation system to manage smoothly heavy duty use.
- Improved incly system for better stability.
- · Improved fixing of long vegetable hopper pusher.

Included Accessories

- 1 of Lid and bowl scraper for PNC 650102 5,5 lt cutter mixer
- 1 of Microtoothed blade rotor for 5,5 lt cutter mixer

APPROVAL:



•	1 of Stainless steel bowl for 5,5 lt cutter mixer	PNC 653590		•	Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids	PNC 650110			
_		PNC 653772		•	Dicing set 10X10X10MM (10mm aluminum slicing pressing disc with 205mm diam. and	PNC 650112			
C	Optional Accessories 10mm grid)								
•	Microtooth blade rotor (emulsifier) for 5,5 lt cutter mixer	PNC 650040		•	Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115			
•	Stainless steel shredding disc with S-blades 4x4 mm	PNC 650077		•	Aluminum pressing/slicing disc with straight blades 8 mm - for dicing	PNC 650116			
•	Stainless steel shredding disc with S-blades 6x6 mm (can also be used for	PNC 650078		•	Stainless steel shredding disc with S-blades 2x8 mm	PNC 650158			
•	French fries) Stainless steel shredding disc with S-	PNC 650079		•	Stainless steel shredding disc with S-blades 2x10 mm	PNC 650159			
	blades 8x8 mm (can also be used for French fries)	DNC CEOOOO		•	Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or	PNC 650160			
•	Stainless steel shredding disc with S- blades 10x10 mm (can also be used for French fries)	PNC 650080		•	combined with grids) Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing or	PNC 650161			
•	Stainless steel pressing/slicing disc with S- blades 0,6 mm (can be used for slicing or	PNC 650081			combined with grids) Stainless steel pressing/slicing disc with	PNC 650162			
•	combined with grids) Stainless steel pressing/slicing disc with S-	PNC 650082		•	corrugated S-blades 8 mm (can be used for slicing or combined with grids)	1 100 030102	_		
	blades 1 mm (can be used for slicing or combined with grids)	1110 000002	_	•	Stainless steel pressing/slicing disc with corrugated S-blades 10 mm (can be used for	PNC 650164			
•	Stainless steel pressing/slicing disc with S- blades 2 mm (can be used for slicing or	PNC 650083		•	slicing or combined with grids) Stainless steel pressing/slicing disc with S-	PNC 650165			
•	combined with grids) Stainless steel pressing/slicing disc with S-	PNC 650084			blades 13 mm (can be used for slicing or combined with grids)				
	blades 3 mm (can be used for slicing or combined with grids)			•	Stainless steel shredding disc with S-blades 2x2 mm	PNC 650166			
•	Stainless steel pressing/slicing disc with S- blades 4 mm (can be used for slicing or combined with grids)	PNC 650085			Stainless steel shredding disc with S-blades 3x3 mm	PNC 650167			
•	Stainless steel pressing/slicing disc with S- blades 5 mm (can be used for slicing or combined with grids)	PNC 650086		•	Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs)	PNC 650178			
•	Stainless steel pressing/slicing disc with S- blades 6 mm (can be used for slicing or combined with grids)	PNC 650087		•	Set of 7 stainless steel discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid)	PNC 650179			
	Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with grids)	PNC 650088		•	Stainless steel work table with folding shelves and disk rack for TRK, TRS and TR210 table top models	PNC 653283			
•	Stainless steel pressing/slicing disc with	PNC 650089		•	Dicing grid 5x5 mm	PNC 653566			
	corrugated S-blades 2 mm (can be used for slicing or combined with grids)			•	Dicing grid 8x8 mm	PNC 653567			
_		PNC 650090		•	Dicing grid 10x10 mm	PNC 653568			
٠	Stainless steel pressing/slicing disc with corrugated S-blades 3 mm (can be used for		_	•	Dicing grid 12x12 mm	PNC 653569			
	slicing or combined with grids)				Dicing grid 20x20 mm	PNC 653570			
•	Stainless steel pressing/slicing disc with	PNC 650091			Grid for chips 6x6 mm	PNC 653571			
	corrugated S-blades 6 mm (can be used for				Grid for chips 8x8 mm	PNC 653571			
	slicing or combined with grids)				•				
•	Bistrot Pack-set stainless steel discs (2mm	PNC 650092			Grid for chips 10x10 mm	PNC 653573			
	and 5mm slicing pressing disc, 2mm grating disc)				Smooth blade rotor for 5,5 lt cutter mixer	PNC 653581			
	- ·	PNC 650093			Microtoothed blade rotor for 5,5 lt cutter mixer	PNC 653582			
•	Gastronomy Pack-set stainless steel discs (2mm, 5mm and 10mm slicing pressing	1 110 030033			Stainless steel bowl for 5,5 lt cutter mixer	PNC 653590			
	discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid)				Smooth blade rotor (emulsifier) for 5,5 lt cutter mixer	PNC 653665			
•	Emulsifying kit for TRK, K55 variable speed,	PNC 650103		•	Ejector disc	PNC 653772			
	including 5,5 lt ss bowl, smooth emulsion			•	Stainless steel grating disc 2 mm	PNC 653773			
	blade, lid and scraper		_	•	Stainless steel grating disc 3 mm	PNC 653774			
•	Set of 3 stainless steel discs for Pizza	PNC 650107		•	Stainless steel grating disc 4 mm	PNC 653775			
	(2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc)			•	Stainless steel grating disc 7 mm	PNC 653776			







•	Stainless steel grating disc 9 mm	PNC 653777	
•	Stainless steel grating disc for knoedeln and bread	PNC 653778	
•	Stainless steel grating disc for parmesan and bread	PNC 653779	






© 252 mm>







Electric

Front

Supply voltage:

600429 (DTRK55YA) 200-240 V/1N ph/50/60 Hz

Electrical power max.: 1.3 kW
Total Watts: 1.3 kW

Capacity:

Performance (up to): 550 - kg/hour **Capacity:** 5.5 litres

Key Information:

External dimensions, Width: 252 mm
External dimensions, Depth: 485 mm
External dimensions, Height: 505 mm
Shipping weight: 30.5 kg

