


Vegetable Slicer TRK70 Cutter Slicer - 7 LT -Variable Speed



APPROVAL

TEM #		
MODEL #		
NAME #		
SIS #		

1

ŀ

positioned. Asynchronous industrial motor for heavy duty and longer life. Flat and waterproof control panel with on/off button, pulse function and variable speed (from 300 to 3700rpm).





Main Features

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incly system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Red OFF, green ON buttons.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Delivered with:
- -Stainless steel lever operated feed hopper
- -7 It stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor
- Capacity:
- -vegetable slicer productivity 550 kg/h, suitable for 100-400 meals for table service, up to 800 meals for catering service
- -cutter mixer working capacity from 150 g to 3.5 kg, for 50-150 meals per service

Construction

- All blades (available on request) are made in stainless steel and dishwasher safe.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids.
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Vegetable cutting at 4 speeds up to 800 rpm. Food processing at 10 variable speeds: 300-3700 rpm.
- IP24 throughout entire machine.
- Power: 1.3 HP.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Compact and portable design.
- Improved ventilation system to manage smoothly heavy duty use.
- Main on/off switch for added safety.
- Improved incly system for better stability.
- Improved fixing of long vegetable hopper pusher.
- Main switch ON/OFF on the back of the appliance.



Vegetable Slicer TRK70 Cutter Slicer - 7 LT - Variable Speed

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



Vegetable Slicer TRK70 Cutter Slicer - 7 LT Variable Speed

• Bistrot Pack-set stainless steel discs PNC 650092 **Included Accessories** (2mm and 5mm slicing pressing disc, 2mm grating disc) • 1 of Lid and bowl scraper for 7 lt PNC 650104 cutter mixer Lid and bowl scraper for 7 lt cutter PNC 650104 • 1 of Stainless steel bowl for 7 lt mixer PNC 653593 cutter mixer Set of 3 stainless steel discs for Pizza PNC 650107 (2mm and 4mm pressing/slicing 1 of Ejector disc PNC 653772 discs with S-blades, 7mm grating • 1 of Microtoothed blade rotor for 7 PNC 653874 disc) It cutter mixer • Cleaning tool for TRS, TRK & TR210 PNC 650110 **Optional Accessories** 5-8-10 mm dicing grids • Dicing set 10x10x10mm (10mm PNC 650112 Stainless steel shredding disc with PNC 650077 aluminum slicing pressing disc with 205mm diam. and 10mm grid) S-blades 4x4 mm • Stainless steel shredding disc with PNC 650078 • Gastronomy Pack-set discs (2mm, PNC 650113 S-blades 6x6 mm (can also be 5mm and 10mm slicing pressing used for French fries) discs, 2mm grating disc, 4x4mm • Stainless steel shredding disc with PNC 650079 shredding disc, 10x10mm dicing grid) S-blades 8x8 mm (can also be and grid cleaning tool used for French fries) • Set of 7 discs (2mm, 5mm and 10mm PNC 650114 • Stainless steel shredding disc with PNC 650080 $\ \square$ slicing pressing discs, 2mm and S-blades 10x10 mm (can also be 7mm grating discs, 4x4mm used for French fries) shredding disc, 10x10mm dicing grid) • Stainless steel pressing/slicing PNC 650081 and grid cleaning tool disc with S-blades 0,6 mm (can • Aluminum pressing/slicing disc with PNC 650115 be used for slicing or combined straight blades 10 mm - for dicing with grids) PNC 650116 Aluminum pressing/slicing disc with Stainless steel pressing/slicing PNC 650082 straight blades 8 mm - for dicing disc with S-blades 1 mm (can be Stainless steel shredding disc with S- PNC 650158 used for slicing or combined with blades 2x8 mm grids) Stainless steel shredding disc with S- PNC 650159 Stainless steel pressing/slicing PNC 650083 blades 2x10 mm disc with S-blades 2 mm (can be used for slicing or combined with • Stainless steel pressing/slicing disc PNC 650160 grids) with S-blades 10 mm (can be used for slicing or combined with grids) Stainless steel pressing/slicing PNC 650084 disc with S-blades 3 mm (can be Stainless steel pressing/slicing disc PNC 650161 used for slicing or combined with with S-blades 12 mm (can be used grids) for slicing or combined with grids) Stainless steel pressing/slicing PNC 650085 • Stainless steel pressing/slicing disc PNC 650162 disc with S-blades 4 mm (can be with corrugated S-blades 8 mm (can used for slicing or combined with be used for slicing or combined with grids) grids) • Stainless steel pressing/slicing disc with S-blades 5 mm (can be PNC 650086 Stainless steel pressing/slicing disc PNC 650164 with corrugated S-blades 10 mm (can used for slicing or combined with be used for slicing or combined with grids) grids) Stainless steel pressing/slicing disc with S-blades 13 mm (can be used Stainless steel pressing/slicing PNC 650087 PNC 650165 disc with S-blades 6 mm (can be used for slicing or combined with for slicing or combined with grids) grids) Stainless steel shredding disc with S- PNC 650166 Stainless steel pressing/slicing PNC 650088 blades 2x2 mm disc with S-blades 8 mm (can be Stainless steel shredding disc with S- PNC 650167 used for slicing or combined with blades 3x3 mm grids) • Set of 4 stainless steel discs (2mm PNC 650178 • Stainless steel pressing/slicing PNC 650089 and 5mm slicing pressing discs, disc with corrugated S-blades 2 2mm and 7mm grating discs) mm (can be used for slicing or • Stainless steel work table with PNC 653283 combined with grids) folding shelves and disk rack for TRK, • Stainless steel pressing/slicing PNC 650090 TRS and TR210 table top models disc with corrugated S-blades 3 Dicing grid 5x5 mm PNC 653566 mm (can be used for slicing or combined with grids) • Dicing grid 8x8 mm PNC 653567 • Stainless steel pressing/slicing PNC 650091 Dicing grid 10x10 mm PNC 653568 disc with corrugated S-blades 6 • Dicing grid 12x12 mm PNC 653569

PNC 653570 • Dicing grid 20x20 mm

Vegetable Slicer

TRK70 Cutter Slicer - 7 LT - Variable Speed

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

mm (can be used for slicing or combined with grids)




 Grid for chips 6x6 mm 	PNC 653571	
 Grid for chips 8x8 mm 	PNC 653572	
 Grid for chips 10x10 mm 	PNC 653573	
 Stainless steel bowl for 7 lt cutter mixer 	PNC 653593	
 Support for 1 disc, diam. 175mm and 205mm 	PNC 653632	
 Ejector disc 	PNC 653772	
 Stainless steel grating disc 2 mm 	PNC 653773	
 Stainless steel grating disc 3 mm 	PNC 653774	
 Stainless steel grating disc 4 mm 	PNC 653775	
 Stainless steel grating disc 7 mm 	PNC 653776	
 Stainless steel grating disc 9 mm 	PNC 653777	
 Stainless steel grating disc for knoedeln and bread 	PNC 653778	
 Stainless steel grating disc for parmesan and bread 	PNC 653779	
 Smooth blade rotor for 7 lt cutter mixer 	PNC 653881	
Minute at a late de la set au (auser de la fiere)		

 Microtooth blade rotor (emulsifier) PNC 653882 for 7 lt cutter mixer





Vegetable Slicer TRK70 Cutter Slicer - 7 LT -Variable Speed



Electric	
Supply voltage:	200-240 V/1N ph/50/60 Hz
Capacity:	
Performance (up to): Capacity:	550 kg/hour 7 litres
Key Information:	
External dimensions, Width:	252 mm
External dimensions, Depth:	485 mm
External dimensions, Height: Shipping weight:	505 mm ISO 9001; ISO 14001 kg

Vegetable Slicer TRK70 Cutter Slicer - 7 LT - Variable Speed

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.