


Vegetable Slicer TRK70 Cutter Slicer - 7 LT -Variable Speed - UK Plug



ITEM #
MODEL #
NAME #
SIS #
AIA #

positioned. Asynchronous industrial motor for heavy duty and longer life. Flat and waterproof control panel with on/off button, pulse function and variable speed (from 300 to 3700 rpm). UK plug

APPROVAL:



Main Features

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incly system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Delivered with:
 - -Stainless steel lever operated feed hopper
- -7 It stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor
- Capacity:
 - -vegetable slicer productivity 550 kg/h, suitable for 100-400 meals for table service, up to 800 meals for catering service
 - cutter mixer working capacity from 150 g to 3.5 kg, for 50-150 meals per service

Construction

- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- All blades (available on request) are made in stainless steel and dishwasher safe.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids.
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Vegetable cutting at 4 speeds up to 800 rpm. Food processing at 10 variable speeds: 300-3700 rpm.
- IP24 throughout entire machine.
- Power: 1.3 HP.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Compact and portable design.
- Improved ventilation system to manage smoothly heavy duty use.
- Improved incly system for better stability.
- Improved fixing of long vegetable hopper pusher.



Vegetable Slicer TRK70 Cutter Slicer - 7 LT - Variable Speed - UK Plug

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



Vegetable Slicer TRK70 Cutter Slicer - 7 LT -Variable Speed - UK Plug

Included Accessories				strot Pack-set stainless steel discs nm and 5mm slicing pressing	PNC 650092
• 1 of Lid and bowl scraper for 7 lt cutter mixer	PNC 650104		dis	sc, 2mm grating disc) d and bowl scraper for 7 lt cutter	PNC 650104
• 1 of Stainless steel bowl for 7 lt	PNC 653593		m	ixer	
cutter mixer • 1 of Ejector disc • 1 of Microtoothed blade rotor for 7 It cutter mixer	PNC 653772 PNC 653874		(2r dis dis	,	PNC 650107
Optional Accessories				eaning tool for TRS, TRK & TR210 3-10 mm dicing grids	PNC 650110
 Stainless steel shredding disc with S-blades 4x4 mm 	PNC 650077		alu	cing set 10x10x10mm (10mm uminum slicing pressing disc with	PNC 650112
 Stainless steel shredding disc with S-blades 6x6 mm (can also be used for French fries) 	PNC 650078		• Ga 5m	5mm diam. and 10mm grid) Istronomy Pack-set discs (2mm, Inm and 10mm slicing pressing Iscs, 2mm grating disc, 4x4mm	PNC 650113
 Stainless steel shredding disc with S-blades 8x8 mm (can also be used for French fries) 	PNC 650079		sh an	redding disc, 10x10mm dicing grid) d grid cleaning tool	
• Stainless steel shredding disc with S-blades 10x10 mm (can also be used for French fries)			slio 7n sh	t of 7 discs (2mm, 5mm and 10mm cing pressing discs, 2mm and nm grating discs, 4x4mm redding disc, 10x10mm dicing grid)	PNC 650114
 Stainless steel pressing/slicing disc with S-blades 0,6 mm (can be used for slicing or combined with arido) 	PNC 650081		• Alı	d grid cleaning tool uminum pressing/slicing disc with aight blades 10 mm - for dicing	PNC 650115
with grids)Stainless steel pressing/slicing	PNC 650082		• Alı str	uminum pressing/slicing disc with aight blades 8 mm - for dicing	PNC 650116
disc with S-blades 1 mm (can be used for slicing or combined with grids)			• Sta	ainless steel shredding disc with S- ades 2x8 mm	PNC 650158
• Stainless steel pressing/slicing disc with S-blades 2 mm (can be	PNC 650083		bla	ainless steel shredding disc with S- ades 2x10 mm	
used for slicing or combined with grids) • Stainless steel pressing/slicing	PNC 650084		wi	ainless steel pressing/slicing disc th S-blades 10 mm (can be used for cing or combined with grids)	PNC 650160
disc with S-blades 3 mm (can be used for slicing or combined with grids)	1110 000001	-	wi for	ainless steel pressing/slicing disc th S-blades 12 mm (can be used slicing or combined with grids)	PNC 650161
 Stainless steel pressing/slicing disc with S-blades 4 mm (can be used for slicing or combined with grids) 	PNC 650085		wi be	ainless steel pressing/slicing disc th corrugated S-blades 8 mm (can used for slicing or combined with ids)	PNC 650162
 Stainless steel pressing/slicing disc with S-blades 5 mm (can be used for slicing or combined with grids) 	PNC 650086		wi be	ainless steel pressing/slicing disc th corrugated S-blades 10mm (can used for slicing or combined with ids)	PNC 650164
• Stainless steel pressing/slicing disc with S-blades 6 mm (can be used for slicing or combined with	PNC 650087		wi	ainless steel pressing/slicing disc th S-blades 13 mm (can be used slicing or combined with grids)	PNC 650165
grids) • Stainless steel pressing/slicing	PNC 650088			ainless steel shredding disc with S- ades 2x2 mm	PNC 650166
disc with S-blades 8 mm (can be used for slicing or combined with grids)			• Sta bla	ainless steel shredding disc with S- ades 3x3 mm	
 Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or 	PNC 650089		an 2n	t of 4 stainless steel discs (2mm d 5mm slicing pressing discs, nm and 7mm grating discs)	PNC 650178
 combined with grids) Stainless steel pressing/slicing disc with corrugated S blades 7 	PNC 650090		fol	ainless steel work table with ding shelves and disk rack for TRK, S and TR210 table top models	PNC 653283
disc with corrugated S-blades 3 mm (can be used for slicing or				cing grid 5x5 mm	PNC 653566
combined with grids)Stainless steel pressing/slicing	PNC 650091			cing grid 8x8 mm cing grid 10x10 mm	PNC 653567 PNC 653568
disc with corrugated S-blades 6		-		cing grid 12x12 mm	PNC 653569
mm (can be used for slicing or combined with grids)				cing grid 20x20 mm	PNC 653570

Vegetable Slicer TRK70 Cutter Slicer - 7 LT - Variable Speed - UK Plug

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.




 Grid for chips 6x6 mm 	PNC 653571	
 Grid for chips 8x8 mm 	PNC 653572	
 Grid for chips 10x10 mm 	PNC 653573	
• Stainless steel bowl for 7 lt cutter mixer	PNC 653593	
 Support for 1 disc, diam. 175mm and 205mm 	PNC 653632	
 Ejector disc 	PNC 653772	
 Stainless steel grating disc 2 mm 	PNC 653773	
 Stainless steel grating disc 3 mm 	PNC 653774	
• Stainless steel grating disc 4 mm	PNC 653775	
 Stainless steel grating disc 7 mm 	PNC 653776	
• Stainless steel grating disc 9 mm	PNC 653777	
 Stainless steel grating disc for knoedeln and bread 	PNC 653778	
 Stainless steel grating disc for parmesan and bread 	PNC 653779	
• Smooth blade rotor for 7 lt cutter mixer	PNC 653881	

 Microtooth blade rotor (emulsifier) PNC 653882 for 7 lt cutter mixer





Vegetable Slicer TRK70 Cutter Slicer - 7 LT -Variable Speed - UK Plug



Electric	
Supply voltage:	200-240 V/1N ph/50/60 Hz
Capacity:	
Performance (up to): Capacity:	550 kg/hour 7 litres
Key Information:	
External dimensions, Width: External dimensions, Depth:	252 mm 485 mm
External dimensions, Height:	505 mm

ISO 9001; ISO 14001 kg

Vegetable Slicer TRK70 Cutter Slicer - 7 LT - Variable Speed - UK Plug

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.