

vegetable Slicer with Ejector - 1 Speed - 750



Vegetable Slicer TRS Classic Vegetable Slicer with Ejector - 1 Speed - 750W

ITEM#	
MODEL#	
NAME#	
SIS#	
AIA#	



600108 (DTRSCX)

Vegetable slicer, 1 speed 340 rpm, 750 W. Lever operated hopper in polished cast aluminum with stainless steel base

Short Form Specification

Item No.

Universal vegetable preparation machine for 80 different types of cuts. Stainless steel case. Removable cover and feed arm in polished cast aluminium with incorporated magnetic safety device which only allows the vegetable slicer to operate if the hopper is closed. No volt release system. Self braking motor.

Main Features

- Base inclined at 20° to provide easy loading and unloading.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Automatic restart of the machine with the halfmoon lever in position.
- Continuous feed model.
- Hopper easily removed for cleaning.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Plate speed at 360 RPM for precise cutting, slicing and dicing.
- Suitable for 100-300 meals for table service and up to 600 meals for catering service.
- Ergonomically design to work frontally and to reduce the working space around the machine.

Construction

- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Compact and portable design.
- IP55 waterproof ON/OFF buttons, IP24 throughout the entire machine.
- Power: 750 watts.

APPROVAL	APPROV	Άl
----------	--------	----




Vegetable Slicer TRS Classic Vegetable Slicer with Ejector - 1 Speed - 750W

Optional Accessories • Stainless steel shredding disc with	DNC 650077	П	•	Dicing set 10x10x10mm (10mm aluminum slicing pressing disc with 205mm diam. and 10mm grid)	PNC 650112	
 Stainless steel shredding disc with S-blades 4x4 mm Stainless steel shredding disc with S-blades 6x6 mm (can also be 			•	Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm	PNC 650113	
used for French fries)Stainless steel shredding disc with S-blades 8x8 mm (can also be	PNC 650079		•	shredding disc, 10x10mm dicing grid) and grid cleaning tool Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and	PNC 650114	
 used for French fries) Stainless steel shredding disc with S-blades 10x10 mm (can also be used for French fries) 	PNC 650080			7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool		
Stainless steel pressing/slicing	PNC 650081		•	Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115	
disc with S-blades 0,6 mm (can be used for slicing or combined with grids)				Aluminum pressing/slicing disc with straight blades 8 mm - for dicing	PNC 650116	
 Stainless steel pressing/slicing disc with S-blades 1 mm (can be 	PNC 650082			Stainless steel shredding disc with S-blades 2x8 mm		
used for slicing or combined with grids)				Stainless steel shredding disc with S-blades 2x10 mm	PNC 650159	
 Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for slicing or combined with 	PNC 650083		•	Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids)	PNC 650160	
grids) • Stainless steel pressing/slicing disc with S-blades 3 mm (can be	PNC 650084		•	Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing or combined with grids)	PNC 650161	
used for slicing or combined with grids) • Stainless steel pressing/slicing	PNC 650085		•	Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be used for slicing or combined with	PNC 650162	
disc with S-blades 4 mm (can be used for slicing or combined with grids)			•	grids) Stainless steel pressing/slicing disc with corrugated S-blades 10 mm (can	PNC 650164	
 Stainless steel pressing/slicing disc with S-blades 5 mm (can be used for slicing or combined with 	PNC 650086		•	be used for slicing or combined with grids) Stainless steel pressing/slicing disc	PNC 650165	
grids) • Stainless steel pressing/slicing	PNC 650087			with S-blades 13 mm (can be used for slicing or combined with grids)		
disc with S-blades 6 mm (can be used for slicing or combined with grids)				Stainless steel shredding disc with S-blades 2x2 mm		
• Stainless steel pressing/slicing disc with S-blades 8 mm (can be	PNC 650088			Stainless steel shredding disc with S-blades 3x3 mm		
used for slicing or combined with grids)	DNC (50000		•	Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs)	PNC 650178	
 Stainless steel pressing/slicing disc with corrugated S-blades 2 	PNC 650089	u	•	Table with shelf and 1/1 GN tray	PNC 653180	
mm (can be used for slicing or combined with grids)	PNC 650090		•	Stainless steel work table with folding shelves and disk rack for TRK, TRS and TR210 table top models	PNC 653283	
 Stainless steel pressing/slicing disc with corrugated S-blades 3 	PINC 620090	_	•	Dicing grid 5x5 mm	PNC 653566	
mm (can be used for slicing or				Dicing grid 8x8 mm	PNC 653567	
combined with grids)	DNIG 650001			Dicing grid 10x10 mm	PNC 653568	
 Stainless steel pressing/slicing disc with corrugated S-blades 6 	PNC 650091		•	Dicing grid 12x12 mm	PNC 653569	
mm (can be used for slicing or			•	Dicing grid 20x20 mm	PNC 653570	
combined with grids)		_		Grid for chips 6x6 mm	PNC 653571	
 Bistrot Pack-set stainless steel discs (2mm and 5mm slicing 	PNC 650092	Ц		Grid for chips 8x8 mm	PNC 653572	
pressing disc, 2mm grating disc)				Grid for chips 10x10 mm	PNC 653573	
 Set of 3 stainless steel discs for Pizza (2mm and 4mm pressing/ slicing discs with S-blades, 7mm grating disc) 	PNC 650107		•	Support for 1 disc, diam. 175mm and 205mm	PNC 653632	
 Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids 	PNC 650110					





Vegetable Slicer TRS Classic Vegetable Slicer with Ejector - 1 Speed - 750W



Electric	
Supply voltage: Electrical power, max: Total Watts:	220-240 V/1N ph/50 Hz 0.75 kW 0.75 kW
Capacity:	
Performance (up to):	550 kg/hour
Key Information:	
External dimensions, Width:	246 mm
External dimensions, Depth:	557 mm
External dimensions, Height: Shipping weight:	466 mm 26 kg