



ITEM #	
MODEL#	
NAME#	
SIS#	
AIA#	



602206 (DTRSC6)

Vegetable slicer, 1 speed 340 rpm, 370 W. Lever operated hopper in polished cast aluminum -220/1/60

Short Form Specification

Item No.

Universal vegetable preparation machine for more than 80 different types of cuts. Stainless steel motor casing. Removable cover and feed arm in polished cast aluminium with incorporated magnetic safety device which only allows the cutter to operate if the hopper is closed. No volt release system. Self braking motor.

Main Features

- Suitable for 100-300 meals for table service and up to 600 meals for catering service.
- Ergonomically design to work frontally and to reduce the working space around the machine.
- Base inclined at 20° to provide easy loading and unloading.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Automatic restart of the machine with the half-moon lever in position.
- Continuous feed model.
- Hopper easily removed for cleaning.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Delivered with: polished cast aluminium vegetable preparation attachment with a lever-integrated long vegetable hopper (52mm diameter) and a large half moon hopper (154x77mm).

Construction

- IP55 waterproof ON/OFF buttons, IP24 throughout the entire machine.
- Compact and portable design.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.

Α	Р	Ρ	R	O	VA	۸L
$\overline{}$						




Optional Accessories	DNC CEOOFF		•	Dicing set 10x10x10mm (10mm aluminum slicing pressing disc with 205mm diam. and 10mm grid)	PNC 650112	
 Stainless steel shredding disc with S-blades 4x4 mm 			•	Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing	PNC 650113	
 Stainless steel shredding disc with S-blades 6x6 mm (can also be used for French fries) 				discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool		
 Stainless steel shredding disc with S-blades 8x8 mm (can also be used for French fries) 	PNC 650079		•	Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and	PNC 650114	
 Stainless steel shredding disc with S-blades 10x10 mm (can also be used for French fries) 	PNC 650080			7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool		
Stainless steel pressing/slicing	PNC 650081		•	Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115	
disc with S-blades 0,6 mm (can be used for slicing or combined with grids)				Aluminum pressing/slicing disc with straight blades 8 mm - for dicing	PNC 650116	
Stainless steel pressing/slicing disc with S-blades 1 mm. (can be	PNC 650082			Stainless steel shredding disc with S-blades 2x8 mm		
used for slicing or combined with grids)			•	Stainless steel shredding disc with S-blades 2x10 mm	PNC 650159	
 Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for slicing or combined with 	PNC 650083		•	Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids)	PNC 650160	
grids) • Stainless steel pressing/slicing disc with S-blades 3 mm (can be	PNC 650084		•	Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing or combined with grids)	PNC 650161	
used for slicing or combined with grids) • Stainless steel pressing/slicing	PNC 650085		•	Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be used for slicing or combined with	PNC 650162	
disc with S-blades 4 mm (can be used for slicing or combined with grids)	1110 000000	_	•	grids) Stainless steel pressing/slicing disc with corrugated S-blades 10 mm (can	PNC 650164	
 Stainless steel pressing/slicing disc with S-blades 5 mm (can be used for slicing or combined with 	PNC 650086			be used for slicing or combined with grids)	PNC 650165	
grids) • Stainless steel pressing/slicing	PNC 650087		•	Stainless steel pressing/slicing disc with S-blades 13 mm (can be used for slicing or combined with grids)	PINC 030103	_
disc with S-blades 6 mm (can be used for slicing or combined with grids)				Stainless steel shredding disc with S-blades 2x2 mm		
Stainless steel pressing/slicing disc with S-blades 8 mm (can be	PNC 650088			Stainless steel shredding disc with S-blades 3x3 mm		
used for slicing or combined with grids)	DNIG 650000		•	Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs)	PNC 650178	
 Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or combined with grids) 	PNC 650089	u	•	Stainless steel work table with folding shelves and disk rack for TRK, TRS and TR210 table top models	PNC 653283	
Stainless steel pressing/slicing	PNC 650090			Dicing grid 5x5 mm	PNC 653566	
disc with corrugated S-blades 3 mm (can be used for slicing or				Dicing grid 8x8 mm	PNC 653567 PNC 653568	
combined with grids)				Dicing grid 10x10 mm Dicing grid 12x12 mm	PNC 653569	
 Stainless steel pressing/slicing 	PNC 650091			Dicing grid 20x20 mm	PNC 653570	
disc with corrugated S-blades 6 mm (can be used for slicing or				Grid for chips 6x6 mm	PNC 653570	
combined with grids)				Grid for chips 8x8 mm	PNC 653572	
Bistrot Pack-set stainless steel	PNC 650092			Grid for chips 10x10 mm	PNC 653573	
discs (2mm and 5mm slicing pressing disc, 2mm grating disc)				Support for 1 disc, diam. 175mm and 205mm	PNC 653632	
• Set of 3 stainless steel discs for	PNC 650107		•	Stainless steel grating disc 2 mm	PNC 653773	
Pizza (2mm and 4mm pressing/ slicing discs with S-blades, 7mm				Stainless steel grating disc 3 mm	PNC 653774	
grating disc)				Stainless steel grating disc 4 mm	PNC 653775	
 Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids 	PNC 650110			Stainless steel grating disc 7 mm	PNC 653776	





•	Stainless steel grating disc 9 mm	PNC 653777	
•	Stainless steel grating disc for knoedeln and bread	PNC 653778	
•	Stainless steel grating disc for parmesan and bread	PNC 653779	





Electric Supply voltage: 220 V/1N ph/60 Hz Electrical power, max: 0.37 kW 0.37 kW **Total Watts:** Capacity: Performance (up to): 550 kg/hour Key Information: External dimensions, Width: 246 mm External dimensions, 557 mm Depth: External dimensions, Height: 466 mm **Shipping weight:** 22 kg

