Electrolux PROFESSIONAL

# Modular Cooking Range Line 900XP 4-Hot Plates Electric Boiling Top

ITEM #

MODEL #

NAME #

SIS #

AIA #



| | |
|---|---|
| **391040 (E9ECEH4Q00)** | 4-hot square plates (4 kW each) electric boiling top |
| **391166 (E9ECEH4Q0N)** | 4-hot plate (4 kW each) electric boiling top |

## Short Form Specification

**Item No.**

To be installed on open base installations, bridging supports or cantilever systems. Four 4 kW square cast-iron hot plates hermetically sealed to the one-piece top. Exterior panels of unit in stainless steel with Scotch Brite finish. Extra strength work top in heavy duty 2 mm stainless steel. Right-angled side edges to allow flush-fitting junction between units.

**APPROVAL:**

## Main Features

- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- The four 4kW cast-iron plates are hermtically sealed to the one-piece top. Hot plates with a power of 4kW for each plate.
- The special design of the control knob system guarantees against water infiltration.
- IPX5 water protection.
- Top configuration allows installation on ambient base only (not possible to install on refrigerated nor freezer base).
- Suitable for countertop installation.

## Construction

- Unit is 930 mm deep to give a larger working surface area.
- All exterior panels in Stainless Steel with Scotch Brite finishing.
- AISI 304 stainless steel worktop, 2mm thick.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.

## Optional Accessories

| | |
|---|---|
| • GN2/1 chrome grid for static oven (only for 391166) | PNC 164250 ❑ |
| • Pair of cast iron plate bars for electric cooking top | PNC 206056 ❑ |
| • Junction sealing kit | PNC 206086 ❑ |
| • Support for bridge type installation, 800mm | PNC 206137 ❑ |
| • Support for bridge type installation, 1000mm | PNC 206138 ❑ |
| • Support for bridge type installation, 1200mm | PNC 206139 ❑ |
| • Support for bridge type installation, 1400mm | PNC 206140 ❑ |
| • Support for bridge type installation, 1600mm | PNC 206141 ❑ |
| • Water column with swivel arm (water column extension not included) | PNC 206289 ❑ |
| • Water column extension for 900 line | PNC 206290 ❑ |
| • Chimney upstand, 800mm | PNC 206304 ❑ |
| • Back handrail 800 mm | PNC 206308 ❑ |
| • Back handrail 1200 mm | PNC 206309 ❑ |
| • Support frame for 2 pasta cooker basket (900XP) (only for 391040) | PNC 206395 ❑ |
| • Chimney grid net, 400mm (700XP/900) | PNC 206400 ❑ |


| | | |
|---|---|---|
| • Side handrail-right/left hand (900XP) | PNC 216044 | ❑ |
| • Frontal handrail, 800mm | PNC 216047 | ❑ |
| • Frontal handrail, 1200mm | PNC 216049 | ❑ |
| • Frontal handrail, 1600mm | PNC 216050 | ❑ |
| • Large handrail - portioning shelf, 400mm (only for 391166) | PNC 216185 | ❑ |
| • Large handrail - portioning shelf, 800mm | PNC 216186 | ❑ |
| • 2 side covering panels for top appliances | PNC 216278 | ❑ |




The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

# Modular Cooking Range Line 900XP 4-Hot Plates Electric Boiling Top

Front





Side




EI = Electrical inlet (power)
EQ = Equipotential screw

Top




## Electric

| | |
|---|---|
| **Supply voltage:** | |
| **391040 (E9ECEH4Q00)** | 380-400 V/3N ph/50-60 Hz |
| **391166 (E9ECEH4Q0N)** | 230 V/3 ph/50/60 Hz |
| **Total Watts:** | 16 kW |

## Key Information:

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

| | |
|---|---|
| **Net weight:** | |
| **391040 (E9ECEH4Q00)** | 60 kg |
| **391166 (E9ECEH4Q0N)** | 69 kg |
| **Shipping weight:** | 72 kg |
| **Shipping height:** | 530 mm |
| **Shipping width:** | |
| **391040 (E9ECEH4Q00)** | 1020 mm |
| **391166 (E9ECEH4Q0N)** | 1010 mm |
| **Shipping depth:** | 860 mm |
| **Shipping volume:** | 0.46 m³ |
| **[NOT TRANSLATED]** | |
| **391040 (E9ECEH4Q00)** | EH94T |
| **391166 (E9ECEH4Q0N)** | N9CE1 |
| **Front Plates Power:** | 4 - 4 kW |
| **Back Plates Power:** | 4 - 4 kW |
| **Front Plates dimensions:** | 300x300 300x300 |
| **Back Plates dimensions:** | 300x300 300x300 |



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.10.16