



Modular Cooking Range Line 900XP Base Cupboard 1/4 Module with Bottle Drawer



391152 (E9BANB00OE)

Base cupboard with drawer
for bottles, 1/4 module

Short Form Specification

Item No.

To be installed below other 900XP top units in island type installations with operations from one side. Body and internal structure of unit entirely in stainless steel. Drawer for bottles. Delivered with 50 mm height adjustable feet.

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____

Main Features

- Unit can be easily installed below other 900 line top models.
- Unit delivered with 50 mm height adjustable feet in Stainless steel.
- Base compartment for storage of pots, pans, sheet pans, etc.
- Doors with handles, drawers, heating kits and runners for GN containers can be ordered separately.

Construction

- Constructed in Stainless steel with Scotch Brite finish to meet the highest hygiene standards.

Optional Accessories

| | |
|-------------------------------------------------------------------------------------|-------------------------------------|
| • Kit 4 wheels - 2 swivelling with brake | PNC 206135 <input type="checkbox"/> |
| • Flanged feet kit | PNC 206136 <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 200mm | PNC 206146 <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 400mm | PNC 206147 <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 800mm | PNC 206148 <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 1000mm | PNC 206150 <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 1200mm | PNC 206151 <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 1600mm | PNC 206152 <input type="checkbox"/> |
| • 2 SIDE KICKING STRIPS- CONCRETE INST-900 | PNC 206157 <input type="checkbox"/> |
| • Frontal kicking strip, 200mm (not for refr-freezer base) | PNC 206174 <input type="checkbox"/> |
| • Frontal kicking strip, 400mm (not for refr-freezer base) | PNC 206175 <input type="checkbox"/> |
| • Frontal kicking strip, 800mm (not for refr-freezer base) | PNC 206176 <input type="checkbox"/> |
| • Frontal kicking strip, 1000mm (not for refr-freezer base) | PNC 206177 <input type="checkbox"/> |
| • Frontal kicking strip, 1200mm (not for refr-freezer base) | PNC 206178 <input type="checkbox"/> |
| • Frontal kicking strip, 1600mm (not for refr-freezer base) | PNC 206179 <input type="checkbox"/> |
| • Pair of side kicking strips (not for refr-freezer base) | PNC 206180 <input type="checkbox"/> |
| • Kit 4 feet for concrete installation (not for 900 line free standing grill) | PNC 206210 <input type="checkbox"/> |
| • Base support for feet or wheels - 400mm (700/900) | PNC 206366 <input type="checkbox"/> |
| • Base support for feet or wheels - 800mm (700/900) | PNC 206367 <input type="checkbox"/> |


APPROVAL: _____



Experience the Excellence
www.electroluxprofessional.com
ELUX_EMAIL

- Base support for feet or wheels - 1200mm (700/900) PNC 206368
- Base support for feet or wheels - 1600mm (700/900) PNC 206369
- Base support for feet or wheels - 2000mm (700/900) PNC 206370
- Rear paneling - 600mm (700/900XP) PNC 206373
- Rear paneling - 800mm (700/900) PNC 206374
- Rear paneling - 1000mm (700/900) PNC 206375
- Rear paneling - 1200mm (700/900) PNC 206376
- Base support for feet/wheels (600mm) PNC 206431




Key Information:

| | |
|------------------------------|--------|
| External dimensions, Width: | |
| 391152 (E9BANB00OE) | 200 mm |
| External dimensions, Depth: | 900 mm |
| External dimensions, Height: | 600 mm |
| Net weight: | 14 kg |

