

# Food Processor Stainless Steel Cutter Mixer - 11.5 LT - 2 Speeds with Microtoothed Blade, Bowl and Scraper

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	



600084 (K120S2)

\* NOT TRANSLATED \*

## **Main Features**

- Productivity suitable for 100-200 meals per service.
- Food processor allows fast liquidizing, mixing, mincing, chopping and pastry-making.
- Delivered with:
  - -11.5 liter stainless steel bowl with max liquid level indication to avoid spillage
  - -micro toothed perforated blade
  - -scraper
- Angled perforated knives and conical base of the bowl ensure consistent mixing.
- Lid with central opening to add ingredients in midcycle.
- Base fixed cover for a better handling.
- Cover metal frame to ensure seal water tightness to avoid leakage.
- All parts in contact with food are removable without tools and completely dismountable.
- Pulse function for coarse chopping.

#### Construction

- 304 AISI stainless steel bowl with leak resistant spout and handles, easy to manage.
- Scraper with SS handle, easy to dismount.
- 2 speeds: 1500 and 3000 rpm.
- Power: 2200 watts.
- IP65 touch button control panel.
- Cover handle with double safety locking system.
- Transparent BPA free cover incorporates a magnetic safety system which stops the machine if lid is not properly closed.
- A safety device requires to press the start button to restart the machine after a power cut.
- Asynchronous silent industrial motor for heavy duty and longer life.

## **Included Accessories**

• 1 of - NOTTRANSLATED -	PNC 650059
• 1 of - NOTTRANSLATED -	PNC 650060
• 1 of - NOTTRANSLATED -	PNC 650073

## **Optional Accessories**


• - NOTTRANSLATED -	PNC 650059 🗆
• - NOTTRANSLATED -	PNC 650060 🗆
• - NOTTRANSLATED -	PNC 650073 🗅
<ul> <li>Stainless steel mobile stand. Height: 730 mm</li> </ul>	PNC 653017 🚨
<ul> <li>Serrated blade rotor for 11,5 lt cutter mixer</li> </ul>	PNC 653299 🗅
Commelle al la lande malle malle management	DNIC / EZEZO D

 Serrated blade rotor for meat for PNC 653538 ☐ 11,5 It cutter mixer

APPROVAL:









**Electric** 

Supply voltage: 380-415 V/3 ph/50 Hz

Electrical power max.: 2.2 kW **Total Watts:** 2.2 kW

Capacity:

Performance (up to): 6 kg/Cycle Capacity: 11.5 litres

**Key Information:** 

External dimensions,

Width: 416 mm

External dimensions,

Depth: 680 mm

External dimensions, Height:

517 mm Shipping weight: 68 kg

