



**Electrolux**  
PROFESSIONAL

## Stainless Steel Preparation Shelving set for 2830x1630 mm cold room

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



137105 (CRS2816)

Shelving set, composed of aluminium uprights and 4 polyethylene louvered shelves, for 2830x1630 mm cold rooms

### Short Form Specification

Item No. \_\_\_\_\_

4-level shelving set. Designed for corner installation along the sides of the cold room. Louvered sectional polyethylene shelves (depth=373mm). Aluminium (20 micron) side uprights (height=1550mm). Adjustable feet.

### Main Features

- Complete shelving system allows rapid and easy fixing of the shelves to the uprights.
- GN 1/1, GN 1/2 and GN 1/3 can be inserted into the frame.

### Construction

- Uprights and shelf frames constructed entirely in anodized aluminium (20 micron).
- 4 tiers.
- Shelves made by section of polyethylene tablets.
- Sectional polyethylene shelves are dishwasher safe.

APPROVAL: \_\_\_\_\_




Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)  
[professional@electrolux.com](mailto:professional@electrolux.com)



**Electrolux**  
PROFESSIONAL

## Stainless Steel Preparation Shelving set for 2830x1630 mm cold room



Stainless Steel Preparation  
Shelving set for 2830x1630 mm cold room

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.04.25

**Key Information:****External dimensions,  
Length**

137105 (CRS2816) 1117-1516-2738-1516 mm

**External dimensions,  
Depth:**

373 mm

**External dimensions,  
Height:**

1550 mm

**Max loading weight:**

4300 kg

**Net weight:**

100 kg