



**Electrolux**  
PROFESSIONAL

## Stainless Steel Preparation Shelving set for 2830x2030 mm cold room

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



137106 (CRS2820)

Shelving set, composed of aluminium uprights and 4 polyethylene louvered shelves, for 2830x2030 mm cold rooms

### Short Form Specification

Item No. \_\_\_\_\_

4-level shelving set. Designed for corner installation along the sides of the cold room. Louvered sectional polyethylene shelves (depth=373mm). Aluminium (20 micron) side uprights (height=1550mm). Adjustable feet.

### Main Features

- Complete shelving system allows rapid and easy fixing of the shelves to the uprights.
- GN 1/1, GN 1/2 and GN 1/3 can be inserted into the frame.


### Construction

- Uprights and shelf frames constructed entirely in anodized aluminium (20 micron).
- 4 tiers.
- Shelves made by section of polyethylene tablets.
- Sectional polyethylene shelves are dishwasher safe.

APPROVAL: \_\_\_\_\_



Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)  
[professional@electrolux.com](mailto:professional@electrolux.com)



**Key Information:**

External dimensions,  
length

137106 (CRS2820) 1117-1960-2738-1960 mm

External dimensions,  
Depth:

373 mm

External dimensions,  
Height:

1550 mm

Max loading weight:

4000 kg

Net weight:

108 kg