



Electrolux
PROFESSIONAL

Modular Cooking Range Line
thermaline 80 - 400 mm Open base,
GN conform, 1 Side (H2) - H=450

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



588126 (MA1BCAD000)

Open base, one-side
operated, GN - H2

Short Form Specification

Item No. _____

400 mm wide open base compartment to store pots, pans, sheet pans, etc. with hygienic design and round edges. Unit constructed according to DIN 18860_2 with 70 mm recessed plinth. Internal frame for heavy duty sturdiness in 2 mm and 3 mm in 1.4301 (AISI 304). 2 mm top in 1.4301 (AISI 304). Flat surface construction, easily cleanable. THERMODUL connection system enables seamless worktop when units are connected and avoids soil penetrating. Open storage space in the base accepts GN 1/1 containers.

IPX5 water resistant certification.

Configuration: One-side operated freestanding base, hygienic class H2.

Main Features

- All major components may be easily accessed from the front.
- Unit to be placed below modular top appliances to store pots, pans, sheet pans, etc.

Construction


- IPX5 water resistance certification.
- Hygienic design of the open base compartment with large round edges.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Storage space in the base of the appliance that can accept GN1/1 containers.
- Internal frame for heavy duty sturdiness in stainless steel.

APPROVAL: _____




Experience the Excellence
www.electroluxprofessional.com
ELUX_EMAIL


Front



Side



Top


Key Information:

External dimensions, Width:	
588126 (MA1BCAD000)	400 mm
External dimensions, Depth:	800 mm
External dimensions, Height:	450 mm
Cupboard Cavity Dimensions (width):	340 mm
Cupboard Cavity Dimensions (height):	330 mm
Cupboard Cavity Dimensions (depth):	740 mm
Net weight:	16 kg

Optional Accessories

- Stainless steel side panel, 800x700mm, freestanding PNC 912509
- Stainless steel front kicking strip, 400mm width PNC 912630
- Stainless steel side kicking strip left and right, freestanding, 800mm width PNC 912655
- Stainless steel side kicking strip left and right, wall mounted, 800mm width PNC 912658
- Stainless steel side kicking strip left and right, back-to-back, 1600mm width PNC 912661
- Stainless steel plinth, against wall, 400mm width PNC 912840
- Stainless steel plinth, freestanding, 400mm width PNC 912859
- Stainless steel panel, 800x700mm, against wall, left side PNC 913093
- Stainless steel panel, 800x700mm, flush-fitting, against wall, right side PNC 913097
- Back panel, 400x450mm, for bases and units, one-side operated PNC 913163
- - NOT TRANSLATED - PNC 913214
- - NOT TRANSLATED - PNC 913215
- - NOT TRANSLATED - PNC 913233
- - NOT TRANSLATED - PNC 913258
- - NOT TRANSLATED - PNC 913263
- - NOT TRANSLATED - PNC 913265
- - NOT TRANSLATED - PNC 913271
- - NOT TRANSLATED - PNC 913272
- - NOT TRANSLATED - PNC 913279
- STAINLESS STEEL DIVIDING PANEL 800X700MM LEFT/RIGHT PNC 913668
- STAINLESS STEEL SIDE PANEL, FLUSH 800X700MM LEFT/RIGHT PNC 913684