


Frozen Frozen granita and cream dispenser with 1 bowl, UK plug and UV light




| ITEM # | | | |
|---------|--|--|---|
| MODEL # | | | _ |
| NAME # | | | |
| SIS # | | | _ |
| AIA # | | | _ |

- Ideal for the production of chilled specialties: creamy desserts, sorbet, mousses and similar
- Works with water or milk/based dried products or with brik mixtures ready to be poured into
- Perfect solution for bars, restaurants, cafeterias, coffee shops, hotels and all the other HoReCa operators who desire reliable
- The machine automatically stops when the
- No more ice or condensation outisde the tank
- Rounded shapes with stainless steel finishing
- The insulated tank guarantees higher cooling efficiency and lower effect of the external temperature on product's preparation and maintenance time reducing condense and draining; it is the best solution in hot climate
- New design of the screw to adjust the product consistency makes the equipment extremely
- Hybrid control of consistency. The integrated software allows the equipment to self-adjust to ensure that the product has always the same consistency, from the first to the last drop
- All parts that come into contact with the food are in stainless steel or plastic, can be removed for easy cleaning and are

APPROVAL:



Frozen Frozen granita and cream dispenser with 1 bowl, UK plug and UV light



Frozen Frozen granita and cream dispenser with 1 bowl, UK plug and UV light

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



| Electric | |
|---|---------------------------------|
| Supply voltage: Electrical power max.: | 220-240 V/1 ph/50 Hz 0.28 kW |
| Key Information: | |
| Net weight: | 28 kg |
| Sustainability | |
| Refrigerant type: Refrigerant weight: | R290 68 g |



Frozen Frozen granita and cream dispenser with 1 bowl, UK plug and UV light

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.