Electrolux PROFESSIONAL

ITEM #

MODEL #

NAME #

SIS #

AIA #

Frozen
Frozen granita dispenser with 2 bowls, mechanical control with UK Plug and UV light



562542 (IPRO2MUVR290) Frozen Granita Dispenser with 2X11 l insulated bowls, UV light, mechanical control, R290 - UK plug

Short Form Specification

Item No.

Frozen granita dispenser with 2 bowls; the ITANK ™ Technology prevents ice accumulation on the outer side of the bowl and the bowl shape allows a natural mixing action to ensure an optimum consistency of the product. Customizable lid merchandiser and back graphic. Mechanical keypad allows for setting of cooling and defrost modes. Exclusive nUV LED system for bowl sanitation. Electromechanical control. Sliding drip tray. Delivered with UK plug.

Main Features


- The ITANK ™ Technology prevents ice accumulation on the outer side of the bowl, reducing condensation and increasing the cooling power of the machine.
- Bowl shape allows a natural mixing action to ensure an optimum consistency of the product.
- Customizable lid merchandiser and back graphic.
- Ideal for operators who want an innovative and distinctive equipment. Mechanical keypad allows for setting of cooling and defrost modes.
- The insulated tank guarantees higher cooling efficiency and lower effect of the external temperature on product's preparation and maintenance time reducing condense and draining; it is the best solution in hot climate conditions.
- Exclusive nUV LED system for bowl sanitation.

Construction


- Electromechanical control.
- Sliding drip tray.

APPROVAL:


Front



Side



Top



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Electric

Supply voltage:	220-240 V/1 ph/50 Hz
Electrical power max.:	0.81 kW

Key Information:

Net weight:	60 kg

Sustainability

Refrigerant type:	R290
Refrigerant weight:	106 g

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.