

Coffee System
Classic Traditional espresso machine,
1 group, 6.3 liter boiler, UK Plug

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



602628 (CLASSIC1)

* NOT TRANSLATED *

Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso
- With its easy operation and serviceability, the Classic offers technical features ensuring outstanding coffee throughout the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicing, and unlimited steam.
- Single boiler: 1 Large copper boiler with Heat exchanger technology with 330ml internal boiler.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.

Construction

- Stainless steel body.
- 1 group - 6.3 liter boiler.
- Built-in cup warmer.

Included Accessories

- 1 of - NOT TRANSLATED - PNC 0SPO28
- 1 of - NOT TRANSLATED - PNC 871002
- 1 of - NOT TRANSLATED - PNC 871003
- 1 of - NOT TRANSLATED - PNC 871041


Optional Accessories

- - NOT TRANSLATED - PNC 0SPO28
- - NOT TRANSLATED - PNC 602543
- - NOT TRANSLATED - PNC 602544
- - NOT TRANSLATED - PNC 602546
- - NOT TRANSLATED - PNC 871000
- - NOT TRANSLATED - PNC 871001
- - NOT TRANSLATED - PNC 871002
- - NOT TRANSLATED - PNC 871003
- - NOT TRANSLATED - PNC 871004
- - NOT TRANSLATED - PNC 871010
- - NOT TRANSLATED - PNC 871011
- - NOT TRANSLATED - PNC 871012
- - NOT TRANSLATED - PNC 871013
- - NOT TRANSLATED - PNC 871017

APPROVAL: _____



- - NOT TRANSLATED - PNC 871018
- - NOT TRANSLATED - PNC 871019
- - NOT TRANSLATED - PNC 871041
- - NOT TRANSLATED - PNC 871042
- - NOT TRANSLATED - PNC 871043



Electric

Supply voltage:	240 V/1N ph/50/60 Hz
Electrical power max.:	4.8 kW
Plug type:	Cable without plug

Water:

Cold water temperature (min/max):	5 / 60 °C
-----------------------------------	-----------

Key Information:

Net weight:	41 kg
Shipping volume:	0.32 m ³

Sustainability

Current consumption:	20 Amps
----------------------	---------