

## Coffee System

### Classic Traditional espresso machine, 2 groups, 10,1 liter boiler, UK Plug

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



602629 (CLASSIC2)

\* NOT TRANSLATED \*

### Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso
- With its easy operation and serviceability, the Classic offers technical features ensuring outstanding coffee throughout the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servcability, and unlimited steam.
- Single boiler: 1 Large copper boiler with Heat exchanger technology with 330ml internal boiler.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.
- 2 stainless steel Steam arms / 2 Steam switches on, off and pulse positions.

### Construction

- Stainless steel body.
- 2 groups - 10.1 liter boiler.
- Built-in cup warmer.


### Included Accessories

- |                           |            |
|---------------------------|------------|
| • 1 of - NOT TRANSLATED - | PNC 871002 |
| • 2 of - NOT TRANSLATED - | PNC 871003 |
| • 1 of - NOT TRANSLATED - | PNC 871041 |

### Optional Accessories

- |                      |            |                          |
|----------------------|------------|--------------------------|
| • - NOT TRANSLATED - | PNC 871002 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871003 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871004 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871006 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871007 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871017 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871018 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871019 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 871041 | <input type="checkbox"/> |

APPROVAL: \_\_\_\_\_





**Electrolux**  
PROFESSIONAL

**Coffee System**  
**Classic Traditional espresso machine,**  
**2 groups, 10,1 liter boiler, UK Plug**

**Electric**

Supply voltage: 240 V/1N ph/50/60 Hz  
Electrical power max.: 4.8 kW  
Plug type: Cable without plug

**Water:**

Cold water temperature  
(min/max): 5 / 60 °C

**Key Information:**

Net weight: 55 kg  
Shipping volume: 0.69 m<sup>3</sup>

**Sustainability**

Current consumption: 20 Amps



**Coffee System**  
**Classic Traditional espresso machine, 2 groups, 10,1 liter boiler, UK Plug**

The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.08.06