

Coffee System
Classic Traditional espresso machine,
3 groups, 15,6 liter boiler, UK Plug


ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



602643 (CLASSIC3)

* NOT TRANSLATED *

Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso
- With its easy operation and serviceability, the Classic offers technical features ensuring outstanding coffee throughout the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicing, and unlimited steam.
- Single boiler: 1 Large copper boiler with Heat exchanger technology with 330ml internal boiler.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.
- 2 stainless steel Steam arms / 2 Steam switches on, off and pulse positions.

Construction

- Stainless steel body.
- 3 groups - 15.6 liter boiler
- Built-in cup warmer.


Included Accessories

- 1 of - NOT TRANSLATED - PNC 871002
- 3 of - NOT TRANSLATED - PNC 871003
- 1 of - NOT TRANSLATED - PNC 871041

Optional Accessories

- - NOT TRANSLATED - PNC 871002
- - NOT TRANSLATED - PNC 871003
- - NOT TRANSLATED - PNC 871004
- - NOT TRANSLATED - PNC 871007
- - NOT TRANSLATED - PNC 871017
- - NOT TRANSLATED - PNC 871018
- - NOT TRANSLATED - PNC 871019
- - NOT TRANSLATED - PNC 871041

APPROVAL: _____



Electric

| | |
|------------------------|----------------------|
| Supply voltage: | 240 V/1N ph/50/60 Hz |
| Electrical power max.: | 4,8 kW |
| Plug type: | Cable without plug |

Water:

| | |
|-----------------------------------|-----------|
| Cold water temperature (min/max): | 5 / 60 °C |
|-----------------------------------|-----------|

Key Information:

| | |
|------------------|---------------------|
| Net weight: | 76 kg |
| Shipping volume: | 0.83 m ³ |

Sustainability

| | |
|----------------------|---------|
| Current consumption: | 20 Amps |
|----------------------|---------|