

Modular Cooking Range Line 700XP Half Module Gas Lava Stone Grill Top

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



371044 (E7GRGDLC00)

Half module gas lava stone grill top

Short Form Specification

Item No.

To be installed on open base installations, bridging supports or cantilever systems. Suitable for natural gas or LPG. 7 kW stainless steel gas burners with flame failure device. Gas burners protected by stainless steel deflection trays preventing blockage from foreign objects. Cooking surface grids in cast iron, easily removable for cleaning. Exterior panels in stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick stainless steel. Rightangled side edges to allow flush-fitting junction between units.

Main Features

- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- Heating via Stainless steel gas burners with flame failure device.
- Burners protected by stainless steel deflection trays to prevent blockage.
- Piezo ignition.
- Cast iron grids can be adjusted on two levels.
- Stainless steel high splash guards on the rear and sides of cooking surface. Splash guards can be easily removed for cleaning and are dishwasher-safe.
- Scraper for cleaning of grilling grids included.
- Top configuration allows installation on ambient base only (not possible to install on refrigerated nor freezer base).
- Cooking grids made in highly resistant enameled cast iron for easy cleaning.
- Suitable for countertop installation.
- Lava stone included in standard delivery.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- IPX4 water resistance certification.

APPROVAL:





Modular Cooking Range Line 700XP Half Module Gas Lava Stone Grill Top

Included Accessories

• 1 of SCRAPER FOR FREESTANDING PNC 206422 GRILLS


Optional Accessories

 Junction sealing kit Draught diverter Matching ring for flue condenser Support for bridge type system, 	PNC 206086 PNC 206126 PNC 206127 PNC 206137	
800mm • Support for bridge type system, 1000mm	PNC 206138	_ _
• Support for bridge type system, 1200mm	PNC 206139	
 Support for bridge type system, 1400mm 	PNC 206140	
 Support for bridge type system, 1600mm 	PNC 206141	
 Support for bridge type system, 400mm 	PNC 206154	
 Chimney upstand, 400mm Right and left side handrails BACK HANDRAIL 800 MM - MARINE 	PNC 206303 PNC 206307 PNC 206308	
• Flue condenser for 1/2 module, 120 mm diameter	PNC 206310	
• BASE SUPP. FOR FEET/WHEELS LATERAL 700	PNC 206371	
 Chimney grid net, 400mm Stainless steel grid for free standing V-shaped grills (700XP) 	PNC 206400 PNC 206415	
KIT HEIGHT ADJUST.SUPP.GRILL GRIDS	PNC 206418	
 Scraper for grids with drainage channels - top grills 	PNC 206421	
 - NOTTRANSLATED - Frontal handrail 400mm Frontal handrail 800mm Frontal handrail 1200mm Frontal handrail 1600mm Large handrail - portioning shelf, 400mm 	PNC 206462 PNC 216046 PNC 216047 PNC 216049 PNC 216050 PNC 216185	
Large handrail - portioning shelf, 800mm	PNC 216186	
 2 side covering panels for top appliances 	PNC 216277	
 Pressure regulator for gas units 	PNC 927225	





Modular Cooking Range Line 700XP Half Module Gas Lava Stone Grill Top



Gas

Gas Power: 7 kW

Standard gas delivery: Natural Gas G20 (20mbar)
Gas Type Option: LPG;Natural Gas;Town

Gas Inlet: 3/4"

Key Information:

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

Net weight: 32 kg Shipping weight: 46 kg Shipping height: 530 mm Shipping width: 460 mm Shipping depth: 820 mm Shipping volume: 0.2 m³ Certification group: N7GG Cooking surface width: 321 mm Cooking surface depth: 478 mm

> Modular Cooking Range Line 700XP Half Module Gas Lava Stone Grill Top

