## **Electrolux**

Modular Cooking Range Line 900XP 400mm Gas Fry Top, **Ribbed Brushed Chrome Plate** 



ITEM #

SIS # AIA #

MODEL # NAME #





<ul> <li>Support for bridge type system, 400mm</li> </ul>	PNC 206154	
BACK HANDRAIL 800 MM - MARINE	PNC 206308	
BACK HANDRAIL 1200 MM - MARINE	PNC 206309	
• Flue condenser for 1/2 module, 120 mm diameter	PNC 206310	
• Grease/oil kit container for 700 line frytops (half and module) and 900 line frytops (module)	PNC 206346	
Chimney grid net, 400mm	PNC 206400	
• SCRAPER FOR RIBB PLATE FRY TOP	PNC 206420	
- NOT TRANSLATED -	PNC 206455	
- NOT TRANSLATED -	PNC 206467	
- NOT TRANSLATED -	PNC 206470	
Side handrail-right/left hand	PNC 216044	
<ul> <li>Frontal handrail 400mm</li> </ul>	PNC 216044	
Frontal handrail 800mm		
	PNC 216047	
Frontal handrail 1200mm	PNC 216049	_
Frontal handrail 1600mm	PNC 216050	
<ul> <li>Large handrail - portioning shelf, 400mm</li> </ul>	PNC 216185	
<ul> <li>Large handrail - portioning shelf, 800mm</li> </ul>	PNC 216186	
<ul> <li>2 side covering panels for top, d=900mm</li> </ul>	PNC 216278	
<ul> <li>Pressure regulator for gas units</li> </ul>	PNC 927225	
Perommended Detergents		
Recommended Detergents		
<ul> <li>*NOTTRANSLATED*</li> </ul>	PNC 0S2292	



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.





## Gas

Gas Power:	10 kW
Standard gas delivery:	Natural Gas G20 (20mbar)
Gas Type Option:	LPG;Natural Gas
Gas Inlet:	1/2"

## Key Information:

Working Temperature MIN:	90 °C	
Working Temperature MAX:	270 °C	
External dimensions, Width:	400 mm	
External dimensions, Depth:	930 mm	
External dimensions, Height:	250 mm	
Net weight:	55 kg	
Shipping weight:	56 kg	
Shipping height:	580 mm	
Shipping width:	460 mm	
Shipping depth:	1020 mm	
Shipping volume:	0.27 m³	
Cooking surface width:	330 mm	
Cooking surface depth:	700 mm	
If appliance is set up or next to or against temperature		

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.



C E 📣

Modular Cooking Range Line 900XP 400mm Gas Fry Top, Ribbed Brushed Chrome Plate

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.