Electrolux PROFESSIONAL

# Simplicity Bubblers Chilled Beverage Dispensers 4x9 L, agitator model with locking lid and UK plug

ITEM #

MODEL #

NAME #

SIS #

AIA #

**CCCRKW (ECS4E22UK)** Chilled Beverage Dispenser with 4x9 liter bowls with agitator and locking lid, R290 - UK plug

## Short Form Specification

**Item No.**

Chilled beverage dispenser, 4x9lt, with agitation function for fresh juices, coffees, or teas with minimal foaming system. Dispense 4 flavors in (4) 9lt easy-clean bowls with 23cm cup clearance. Easy-off bowl release system for faster and easier assembly and disassembly. Bowls with locking lid for added safety against tampering.
Temperature range from 1.7 - 5° C. Pre-mix dispenser with stainless steel base and clear plastic bowls.
Delivered with UK plug.

## Main Features

- Agitation function for fresh juices, coffees, or teas with minimal foaming system.
- Easy-off bowl release system for faster and easier assembly and disassembly.
- User friendly design enables machine to dispense product till the very last drop.
- Dispense 4 flavors in (4) 9 L easy-clean bowls with 23 cm cup clearance.

## Construction

- Pre-mix dispenser with stainless steel base and clear plastic bowls.
- Fewer removable parts to simplify cleaning and reduce maintenance.
- Temperature range from 1.7 - 5° C.
- The air intakes from the bottom and exhaust to back.
- Locking lid for added safety against tampering.
- Refrigerant type: R290.

**APPROVAL:**

Electrolux PROFESSIONAL

# Simplicity Bubblers
# Chilled Beverage Dispensers 4x9 L, agitator model with locking lid and UK plug

Front




Side




Top





The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.10.24

Electrolux PROFESSIONAL

# Simplicity Bubblers
# Chilled Beverage Dispensers 4x9 L, agitator model with locking lid and UK plug

## Electric

| | |
|---|---|
| **Supply voltage:** | 220-240 V/1N ph/50/60 Hz |
| **Electrical power max.:** | 0.6 kW |

## Key Information:

| | |
|---|---|
| **Net weight:** | 32 kg |
| **Shipping weight:** | 35 kg |
| **Shipping height:** | 528 mm |
| **Shipping width:** | 483 mm |
| **Shipping depth:** | 630 mm |

## Sustainability

| | |
|---|---|
| **Refrigerant type:** | R290 |
| **Refrigerant weight:** | 85 g |


The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.