Electrolux PROFESSIONAL

Simplicity Bubblers Chilled Beverage Dispensers 2x9 L+1x18 L, agitator model with locking lid and UK plug

ITEM #

MODEL #

NAME #

SIS #

AIA #



CCCRKY (ECS3D22UK) Chilled Beverage Dispenser with 2x9 liter bowls and 1x18 l bowl with agitator and locking lid, R290 - UK plug

Short Form Specification

Item No.

Chilled beverage dispenser, 2x9lt+1x18lt, with agitation function for fresh juices, coffees, or teas with minimal foaming system. Dispense 3 flavors in (2) 9lt and (1) 18lt easy-clean bowls with 23cm cup clearance. Easy-off bowl release system for faster and easier assembly and disassembly. Bowls with locking lid for added safety against tampering.
Temperature range from 1.7 - 5° C. Pre-mix dispenser with stainless steel base and clear plastic bowls.
Delivered with UK plug.

Main Features

- Agitation function for fresh juices, coffees, or teas with minimal foaming system.
- Easy-off bowl release system for faster and easier assembly and disassembly.
- User friendly design enables machine to dispense product till the very last drop.
- Dispense 3 flavors in (2) 9 L and (1) 18 L easy-clean bowls with 23 cm cup clearance.

Construction


- Pre-mix dispenser with stainless steel base and clear plastic bowls.
- Fewer removable parts to simplify cleaning and reduce maintenance.
- Temperature range from 1.7 - 5° C.
- Compact size of 52 cm wide saves valuable counter space.
- The air intakes from the bottom and exhaust to back.
- Locking lid for added safety against tampering.
- Refrigerant type: R290.

APPROVAL:


Electrolux PROFESSIONAL

Simplicity Bubblers
Chilled Beverage Dispensers 2x9 L+1x18 L, agitator model with locking lid and UK plug


Front



Side



Top



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.11.10

Electrolux PROFESSIONAL

Simplicity Bubblers
Chilled Beverage Dispensers 2x9 L+1x18 L, agitator model with locking lid and UK plug

Electric

Supply voltage:	220-240 V/1N ph/50/60 Hz
Electrical power max.:	0.6 kW

Key Information:

Net weight:	32 kg
Shipping weight:	24 kg
Shipping height:	530 mm
Shipping width:	380 mm
Shipping depth:	480 mm

Sustainability

Refrigerant type:	R290
Refrigerant weight:	85 g

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.