

## Planetary Mixers

### Planetary Mixer, 20 lt. - Floor Model

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



#### 600245 (XBM20B)

20 lt planetary mixer, bowl detection device and SOLID BPA free safety screen, with mechanical speed variation. Floor model. Equipped with spiral hook, paddle and whisk

#### 600246 (XBM204B)

20 lt planetary mixer, bowl detection device and SOLID BPA free safety screen, with mechanical speed variation. Floor model. Equipped with spiral hook, paddle and whisk

### Short Form Specification

#### Item No. \_\_\_\_\_

Floor model, suitable for all kneading, blending and whipping operations. Body in non-corrosive material with 20 litre 18/8 (AISI 302) stainless steel bowl. Powerful asynchronous motor (750 W) with mechanical speed variator (8 speed levels from 35 to 180 rpm). Water protected planetary system. Pivoting and removable wire safety screen. Water proof (IP55) and flat touch button control panel with 60 min. timer. A safety device will automatically stop the machine when the bowl is lowered. Removable and dismantled solid safety screen - made of a bisphenol-A free (BPA) copolyester. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Adjustable feet for stability. Supplied with 3 tools: spiral hook, paddle and whisk.

### Main Features

- Professional beater mixer that provides all the basic mixer functions: kneading of all sort of pastes, mixing of semi-liquid products, emulsions and various sauces.
- Delivered with:  
- Spiral Hook, Paddle, Wire Whisk and Mixing Bowl for 20 lt
- Waterproof touch button control panel with timer setting and display.
- Mechanical speed variator.
- Wire safety screen fitted with a removable chute to add products while working, thus ensuring operator safety.
- Pivoting and removable wire safety screen for easier and better cleaning.
- Maximum capacity (flour, with 60% of hydration) 6 kg, suitable for 50-150 meals per service.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Safety device will automatically stop the machine when the bowl is lowered.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.

### Construction

- Body in non-corrosive material.
- Sturdy construction with mechanically welded strong metal frame.
- 302 AISI Stainless steel bowl - 20 lt. capacity.
- Asynchronous motor with high start-up torque.
- 8 speeds, from 35 to 180 prm, to be lever operated while the machine is working, according to the tool and the mixture hardness.
- Planetary movement based on self lubricating gears, eliminating any risk of leaks.
- Power: 750 watts.
- Water protected planetary system (IP55 electrical controls, IP34 overall machine).
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- Adjustable feet to perfect stability.

### Included Accessories

- 1 of BOWL FOR 20LT MIXER PNC 650121
- 1 of Additional Whisk 20 lt PNC 653109
- 1 of Additional Spiral Hook 20 lt PNC 653114
- 1 of Additional Paddle 20 lt PNC 653116


### Optional Accessories

- BOWL FOR 20LT MIXER PNC 650121 ☐


APPROVAL: \_\_\_\_\_

- 10L BOWL,HOOK,PADDLE,WHISK FOR 20L MIXER PNC 650122 ☐
- Additional Whisk 20 lt PNC 653109 ☐
- Additional Spiral Hook 20 lt PNC 653114 ☐
- Additional Paddle 20 lt PNC 653116 ☐
- Reinforced whisk for 20lt planetary mixers PNC 653254 ☐
- Kit wheels for 20/30/40 litre planetary mixers PNC 653552 ☐

Front




Side



EI = Electrical inlet (power)

Top



### Electric

#### Supply voltage:

600245 (XBM20B)

220-240 V/1N ph/50 Hz

600246 (XBM204B)

200-240/380-415 V/3 ph/50 Hz

### Capacity:

#### Performance (up to):

6 kg/Cycle

#### Capacity:

20 litres

### Key Information:

External dimensions, Width: 521 mm

External dimensions, Depth: 685 mm

External dimensions, Height: 1230 mm

#### Shipping weight:

600245 (XBM20B)

111 kg

600246 (XBM204B)

108 kg

#### Cold water paste:

6 kg with Spiral hook

#### Egg whites:

32 with Whisk