

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



710450 (EJ3HBAAAXG)

* NOT TRANSLATED *

Main Features

- Digital control panel allowing the easy and precise setting and control of the internal temperature.
- Operating temperature can be adjusted from -2 to +10 °C to suit different food storage requirements.
- Complies with main international certification bodies and is CE marked.
- Kit 1/2 drawers available as accessory.
- Completely automatic defrosting and automatic evaporation of defrost water by hot gas.
- Forced air cooling system guaranteeing great uniformity of the temperature in the counter and excellent conservation of the food guality.
- Kit 1/3 drawers available as accessory.
- Connectivity ready for real time access to connected appliances from remote and data monitoring (requires optional accessory).
- Easy serviceability thanks to the intuitive control panel with remote access via app.
- Integrated RS485 port to facilitate connection to a remote computer and integrated HACCP systems.
- [NOTTRANSLATED]

Construction

- Built-in compressor to suit operating conditions.
- Legs in 304 AISI stainless steel (150 mm high, adjustable in height), with plastic interior.
- Internal and external structure, bottom, doors, front and side panels, base and 50mm thick removable worktop in stainless steel.
- Back panel in galvanized steel.
- The door self-closes when opened less than at a 90° angle and is equipped with a door seal to guarantee perfect closure.
- High standards of hygiene and ease of cleaning are guaranteed by the rounded internal corners of the cabinet and easily removable runners and grids.

Included Accessories

 3 of Kit 1/1 grey rilsan grid and 2 PNC 881109 side runners for refrigerated counters

Optional Accessories

• 1/1GN grey rilsan grid for PNC 881107 🔲 refrigerated counters • 2 side runners for 1/1 GN ecostore PNC 881108 🚨 refrigerated counters Kit 1/1 grey rilsan grid and 2 side PNC 881109 runners for refrigerated counters • 1/1 GN plastic container, H=65 PNC 881110 • 1/1 GN plastic container, H=100 PNC 881111 mm • 1/1 GN plastic container, H=150 PNC 881112 • - NOTTRANSLATED -PNC 881176 🔲 - NOTTRANSLATED -PNC 881177 🔲 PNC 881178 🗆 - NOTTRANSLATED -

APPROVAL:






• - NOTTRANSLATED -	PNC 881191	
• - NOTTRANSLATED -	PNC 881193	
• - NOTTRANSLATED -	PNC 881246	
- NOTTRANSLATED -	PNC 881277	







290) with top and w	neels, UK plug
Electric	
Supply voltage: Electrical power max.:	220-240 V/1 ph/50 Hz 0.22 kW
Key Information:	
Net Volume: N° of doors: External dimensions, Width: External dimensions, Depth: External dimensions, Height: Internal Dimensions, Width: Internal Dimensions, Depth: Internal Dimensions, Height: Net weight: Shipping volume: Depth with doors open: Gross capacity:	245.4 lt 1699 mm 700 mm 850 mm 1252 mm 560 mm 510 mm 114 kg 1.44 m³ 1310 mm
Refrigeration Data	
Control type: Min/Max internal humidity: Operating temperature min.: Operating temperature max.: Compressor power: Operating mode: Insulation:	Digital 40/85 -2°C 10°C 1/4 hp Ventilated 90 mm (Cyclopentane)
ISO Certificates	
ISO Standards:	ISO 9001; ISO 14001; ISO 45001; ISO 50001
Sustainability	
Refrigerant type: GWP Index: Refrigeration power: Refrigerant weight: Energy Class (EU Reg. 2015/1094): Yearly and daily energy consumption (EU Reg. 2015/1094): Climate class (EU Reg. 2015/1094):	R290 3 320 W 65 g B 605kWh/year - 2kWh/24h Heavy Duty (5)
	ary Doty (o)





Energy Efficiency Index-EEI (EU Reg. 2015/1094):

25,03



EU energy labelling from 1st July 2016 The European energy labelling scheme for professional

refrigerators and freezers is based on requirements setting Minimum Energy Performance standards for commercial refrigeration cabinets sold within the EU.
These requirements are designed to drive energy efficiency and environmentally friendly approach for professionals. The European energy labelling scheme will apply to all manufacturers and importers who sell and market products within the EU and it is mandatory across Europe. Important: all products which consumé energy above the minimum level will not be able to be sold within the EU from 1 July 2016.

SI 2020 No. 1528.

Important: all products which consume energy above the minimum level will not be able to be sold within the EU from 1 July 2016.

