

# Modular Cooking Range Line thermaline 80 - 400 mm Open base, GN conform, 1 Side (H2) - H=550

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA#	



588215 (MA1BDADOOO)

Open base, one-side operated, GN - H2

# **Short Form Specification**

#### Item No.

400 mm wide open base compartment to store pots, pans, sheet pans, etc. with hygienic design and round edges. Unit constructed according to DIN 18860\_2 with 70 mm recessed plinth. Internal frame for heavy duty sturdiness in stainless steel. Flat surface construction, easily cleanable. Open storage space in the base accepts GN 1/1 containers.

IPX5 water resistant certification.

Configuration: One-side operated freestanding base, hygienic class H2.

### **Main Features**

- All major components may be easily accessed from the front.
- [NOTTRANSLATED]

#### Construction


- IPX5 water resistance certification.
- Hygienic design of the open base compartment with large round edges.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Storage space in the base of the appliance that can accept GN1/1 containers.
- Internal frame for heavy duty sturdiness in stainless steel.

#### APPROVAL:






# Modular Cooking Range Line thermaline 80 - 400 mm Open base, GN conform, 1 Side (H2) - H=550



## **Key Information:**

External dimensions, Width: 588215 (MA1BDADOOO) 400 mm External dimensions, Depth: 800 mm External dimensions, Height: 550 mm **Cupboard Cavity Dimensions** 340 mm **Cupboard Cavity Dimensions** 330 mm (height): **Cupboard Cavity Dimensions** 740 mm (depth): Net weight: 18 kg







# **Optional Accessories**

optional Accessories		
<ul> <li>Stainless steel side panel (12mm), 800x800mm, freestanding</li> </ul>	PNC 912508	
• Stainless steel front kicking strip, 400mm width	PNC 912594	
<ul> <li>Stainless steel side kicking strips left and right, freestanding, 800mm width</li> </ul>	PNC 912619	
<ul> <li>Stainless steel side kicking strips left and right, wall mounted, 800mm width</li> </ul>	PNC 912622	
<ul> <li>Stainless steel side kicking strips left and right, back-to-back, 1600mm width</li> </ul>	PNC 912625	
<ul> <li>Stainless steel plinth, against wall, 400mm width</li> </ul>	PNC 912802	
<ul> <li>Stainless steel plinth, freestanding, 400mm width</li> </ul>	PNC 912821	
Stainless steel panel (12mm) 800x800mm, against wall, left side	PNC 913094	
• Stainless steel panel (12mm) 800x800mm, flush-fitting, against wall, right side	PNC 913098	
<ul> <li>Back panel, 400x550mm, for bases and units, one-side operated</li> </ul>	PNC 913178	
• Stainless steel side panel, left, h=800	PNC 913216	
• Stainless steel side panel, right, h=800	PNC 913217	
<ul> <li>NOTTRANSLATED -</li> </ul>	PNC 913233 PNC 913257 PNC 913264 PNC 913273 PNC 913274 PNC 913279	

