

## Modular Cooking Range Line thermaline 80 - 1200 mm Open base, 1 Side (H2) - H=550

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



Construction

• Hygienic desi

from the front.

• [NOTTRANSLATED]

**Main Features** 

pans, sheet pans, etc.

• Hygienic design of the open base compartment with large round edges.

• Open base compartment for storage of pots,

• All major components may be easily accessed

- IPX5 water resistance certification.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in stainless steel.

588218 (MA1ADAKOOO)

Open base, one-side operated - H2

## **Short Form Specification**

#### Item No.

1200 mm wide open base compartment to store pots, pans, sheet pans, etc. with hygienic design and round edges. Unit constructed according to DIN 18860\_2 with 70 mm recessed plinth. Internal frame for heavy duty sturdiness in stainless steel. Flat surface construction, easily cleanable.


IPX5 water resistant certification.

Configuration: One-side operated freestanding base, hygienic class H2.

#### APPROVAL:



# Modular Cooking Range Line thermaline 80 - 1200 mm Open base, 1 Side (H2) - H=550



### **Key Information:**

External dimensions, Width: 588218 (MA1ADAKOOO) External dimensions, Depth:

1200 mm 800 mm External dimensions, Height: 550 mm

**Cupboard Cavity Dimensions** (width):

840 mm

**Cupboard Cavity Dimensions** (height):


330 mm

**Cupboard Cavity Dimensions** 

(depth):

740 mm

Net weight: 26 kg





## **Optional Accessories**

Optional Accessories		
• Stainless steel side panel (12mm), 800x800mm, freestanding	PNC 912508	
• Stainless steel front kicking strip, 1200mm width	PNC 912602	
<ul> <li>Stainless steel side kicking strips left and right, freestanding, 800mm width</li> </ul>	PNC 912619	
<ul> <li>Stainless steel side kicking strips left and right, wall mounted, 800mm width</li> </ul>	PNC 912622	
<ul> <li>Stainless steel side kicking strips left and right, back-to-back, 1600mm width</li> </ul>	PNC 912625	
<ul> <li>Stainless steel plinth, against wall, 1200mm width</li> </ul>	PNC 912810	
<ul> <li>Stainless steel plinth, freestanding, 1200mm width</li> </ul>	PNC 912829	
<ul> <li>Stainless steel panel (12mm) 800x800mm, against wall, left side</li> </ul>	PNC 913094	
• Stainless steel panel (12mm) 800x800mm, flush-fitting, against wall, right side	PNC 913098	
<ul> <li>Back panel, 1200x550mm, for bases and units, one-side operated</li> </ul>	PNC 913186	
<ul> <li>Stainless steel side panel, left, h=800</li> </ul>	PNC 913216	
<ul> <li>Stainless steel side panel, right, h=800</li> </ul>	PNC 913217	
• - NOTTRANSLATED -	PNC 913239	
• - NOTTRANSLATED -	PNC 913257	
• - NOTTRANSLATED -	PNC 913264	
• - NOTTRANSLATED -	PNC 913266	
• - NOTTRANSLATED -	PNC 913273	
• - NOTTRANSLATED -	PNC 913274	
• - NOTTRANSLATED -	PNC 913279	
• - NOTTRANSLATED -	PNC 913669	
<ul><li>- NOTTRANSLATED -</li></ul>	PNC 913685	

