

Modular Cooking Range Line thermaline 80 - 600 mm Passthrough open base, GN conform, 2 Sides (H2) -H=550

ITEM #		
MODEL #		
MODEL #		
NAME #		
SIS #		
AIA #		



588235 (MA2BDCFOOO)

Passthrough open base, two-side operated, GN - H2

Short Form Specification

Item No.

600 mm wide open passthrough base compartment to store pots, pans, sheet pans, etc. with hygienic design and round edges. Unit constructed according to DIN 18860_2 with 70 mm recessed plinth. Internal frame for heavy duty sturdiness in 2 mm and 3 mm in 1.

Main Features


- All major components may be easily accessed from the front.
- [NOTTRANSLATED]

Construction


- IPX5 water resistance certification.
- Hygienic design of the open base compartment with large round edges.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Storage space in the base of the appliance that can accept GN1/1 containers.
- Internal frame for heavy duty sturdiness in stainless steel.

APPROVAL:









Key Information:

External dimensions, Width:	
588235 (MA2BDCFOOO)	600 mm
External dimensions, Depth:	800 mm
External dimensions, Height:	550 mm
Cupboard Cavity Dimensions (width):	340 mm
Cupboard Cavity Dimensions (height):	330 mm
Cupboard Cavity Dimensions (depth):	760 mm
Net weight:	20 kg





Optional Accessories

• Stainless steel side panel (12mm), 800x800mm, freestanding	PNC 912508	
 Stainless steel front kicking strip, 600mm width 	PNC 912596	
 Stainless steel side kicking strips left and right, freestanding, 800mm width 	PNC 912619	
 Stainless steel plinth, freestanding, 600mm width 	PNC 912823	
• - NOTTRANSLATED -	PNC 913233	
• - NOTTRANSLATED -	PNC 913257	
• - NOTTRANSLATED -	PNC 913279	
• - NOTTRANSLATED -	PNC 913669	
• - NOTTRANSLATED -	PNC 913685	

