

Modular Cooking Range Line thermaline 80 - 800 mm Passthrough open base, GN conform, 2 Sides (H2) -H=550

ITEM #		
MODEL #		
MODEL #		
NAME #		
SIS #		
AIA #		



588236 (MA2BDCHOOO)

Passthrough open base, two-side operated, GN - H2

# **Short Form Specification**

#### Item No.

800 mm wide open passthrough base compartment to store pots, pans, sheet pans, etc. with hygienic design and round edges. Unit constructed according to DIN 18860\_2 with 70 mm recessed plinth. Internal frame for heavy duty sturdiness in 2 mm and 3 mm in 1.

### **Main Features**


- All major components may be easily accessed from the front.
- [NOTTRANSLATED]

#### Construction


- IPX5 water resistance certification.
- Hygienic design of the open base compartment with large round edges.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Storage space in the base of the appliance that can accept GN1/1 containers.
- Internal frame for heavy duty sturdiness in stainless steel.

APPROVAL:









### **Key Information:**

External dimensions, Width: 588236 (MA2BDCHOOO) 800 mm External dimensions, Depth: 800 mm External dimensions, Height: 550 mm **Cupboard Cavity Dimensions** 580 mm (width): **Cupboard Cavity Dimensions** 330 mm (height): **Cupboard Cavity Dimensions** (depth): 760 mm Net weight: 22 kg





## **Optional Accessories**

• Stainless steel side panel (12mm), 800x800mm, freestanding	PNC 912508	
<ul> <li>Stainless steel front kicking strip, 800mm width</li> </ul>	PNC 912598	
<ul> <li>Stainless steel side kicking strips left and right, freestanding, 800mm width</li> </ul>	PNC 912619	
<ul> <li>Stainless steel plinth, freestanding, 800mm width</li> </ul>	PNC 912825	
• - NOTTRANSLATED -	PNC 913234	
• - NOTTRANSLATED -	PNC 913257	
• - NOTTRANSLATED -	PNC 913281	
• - NOTTRANSLATED -	PNC 913669	
• - NOTTRANSLATED -	PNC 913685	

