

Modular Cooking Range Line thermaline 90 - Full Module Gas Chargrill, 1 Side

ITEM #	
MODEL #	
MODEL #	
NAME #	
SIS #	
AIA#	



589280 (MCDBAAHOPO)

Gas chargrill tops, one-side operated

Short Form Specification

Item No.

Unit constructed according to DIN 18860_2 with 20 mm drop nose top. Internal frame for heavy duty sturdiness in 2 mm and 3 mm in 1.4301 (AISI 304). 2 mm top in 1.4301 (AISI 304). Flat surface construction, easily cleanable. THERMODUL connection system ena

Main Features

- Special system utilizing stainless steel heat spreading shields below the radiants (PATENT PENDING) avoiding burner clogging and minimizing flare ups while providing an even heat distribution throughout the cooking surface.
- Stainless steel high splash guards on the rear and sides of cooking surface.
- All major components may be easily accessed from the front.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.
- Metal knobs with embedded hygienic silicon "soft" grip for easier handling and cleaning. The special design of the controls prevent infiltration of liquids or soil into vital components.
- Burners are protected by 1.4509 (AISI 441) stainless steel deflective trays avoiding flareups and providing even heat distribution.
- Full-length grease collection drawer with filling indicator, to collect residual cooking grease, and handle to facilitate manipulations.
- Cooking grids made in highly resistant enameled cast iron for easy cleaning.

Construction


- IPX4 water resistance certification.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in 2 mm and 3 mm in 1.4301 (AISI 304).
- Unit constructed according to DIN 18860_2 with 20 mm drop nose top.
- Unit constructed according to DIN 18860_2 with 20 mm drop nose top and 70 mm recessed plinth.

APPROVAL:





Modular Cooking Range Line thermaline 90 - Full Module Gas Chargrill, 1 Side



Gas

Gas Power: 21 kW Gas Inlet: 1/2"

Key Information:

External dimensions, Width: 800 mm
External dimensions, Depth: 900 mm
External dimensions, Height: 250 mm
Net weight: 115 kg

Configuration: One-Side Operated;Top

Grid dimensions: 728 mm

Sustainability

Energy consumption, Min/

Max: 0 - 2.22 m³/h







Optional Accessories

Optional Accessories		
 Connecting rail kit, 900mm 	PNC 912502	
 Portioning shelf, 800mm width 	PNC 912526	
 Portioning shelf, 800mm width 	PNC 912556	
 Folding shelf, 300x900mm 	PNC 912581	
 Folding shelf, 400x900mm 	PNC 912582	
• Fixed side shelf, 200x900mm	PNC 912589	
• Fixed side shelf, 300x900mm	PNC 912590	
• Fixed side shelf, 400x900mm	PNC 912591	
 Connecting rail kit, right 	PNC 912975	
 Connecting rail kit, left 	PNC 912976	
 Endrail kit, flush-fitting, left 	PNC 913111	
• Endrail kit, flush-fitting, right	PNC 913112	
Scraper for grills	PNC 913121	
 Kit scraper and hooks for chargrills 	PNC 913122	
• Endrail kit (12mm) for thermaline 90 units, left	PNC 913202	
• Endrail kit (12mm) for thermaline 90 units, right	PNC 913203	
 T-connection rail for back to back installations without backsplash 	PNC 913227	
• - NOTTRANSLATED -	PNC 913232	
• - NOTTRANSLATED -	PNC 913251	
• - NOTTRANSLATED -	PNC 913252	
• - NOTTRANSLATED -	PNC 913255	
• - NOTTRANSLATED -	PNC 913256	
• - NOTTRANSLATED -	PNC 913698	

