Electrolux PROFESSIONAL

Vegetable Slicer TrinityPro Vegetable Slicers 1800 rpm, 2 discs included

ITEM #

MODEL #

NAME #

SIS #

AIA #



602149 (VGSUS)	Vegetable Slicer with 2 discs included (slicer 5/32", grater 5/64"), 1800 rpm, USA plug

Short Form Specification

Item No.

Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1.32 quart large transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia.
11/64" (55mm) or 1" (25mm). Ideal for grating, slicing/wavy slice, julienne and dicing. 2 discs included: slicer
5/32" (4mm) and grater 5/64" (2mm). A safety micro switch stops the blade when the feed hopper is opened. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Watertight, easy to clean, flat, soft-touch buttons, single speed 1800 rpm with on/pulse/off function for simple operations. With US plug.

Main Features

- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Continuous feed model.
- Equipped with half moon hopper (1.32 qt capacity) and 2 small round feed chutes: 1" (25mm) and or 2 11/64" (55mm), for precise slicing of long shaped vegetables.
- Uniform cuts and maximized load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 7 3/4 " high standard kitchen containers (like GN) under the output chute.
- Pulse function for quick and precise slicing and grating.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs available of various sizes for slicing, grating and shredding.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Easy to clean and watertight control panel with on/off button and pulse function.
- Productivity up to 100 settings per service.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Model includes 2 discs: 5/64" (2mm) grater, 5/32" (4mm) slicer.

Construction

- compact design, easy to move and store.
- IPX5 (IP55) flat panel touch-control, watertight panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Food safety assured thanks to BPA-free materials and compliance with NSF standards.
- Product safety in accordance with international and UL standards.
- 1 speed: 1800 rpm.

Included Accessories

• 1 of STAINLESS STEEL GRATING DISC 5/64" (2 MM)	PNC 650198
• 1 of EJECTOR FOR VEGETABLE SLICER	PNC 650232
• 1 of STAINLESS STEEL SLICING DISC 5/32" (4 MM)	PNC 650237

Optional Accessories

• Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids	PNC 650110	❑
• 3 DISCS SET TRK1 (5/64" SLICER, 3/16" SLICER, 1/8" GRATER)	PNC 650196	❑

APPROVAL:


Electrolux Professional, Inc.
www.electroluxprofessional.com
4003 Collins Lane Louisville, KY 40245 USA - fax number: 706-447-6228

Electrolux PROFESSIONAL
Vegetable Slicer
TrinityPro Vegetable Slicers 1800 rpm, 2 discs included


• 6 DISCS SET (5/64" SLICING, 3/16" SLICING, 1/8" GRATING, 9/32" GRATING, 3/8" SLICER, 3/8"X3/8 " GRID)	PNC 650197	❑
• STAINLESS STEEL GRATING DISC 5/64 " (2 MM)	PNC 650198	❑
• STAINLESS STEEL GRATING DISC 1/8 " (3 MM)	PNC 650199	❑
• STAINLESS STEEL GRATING DISC 5/32 " (4 MM)	PNC 650205	❑
• STAINLESS STEEL GRATING DISC 9/32 " (7 MM)	PNC 650207	❑
• PARMESAN DISC	PNC 650208	❑
• STAINLESS STEEL JULIENNE DISC 5/64" (2 MM)	PNC 650209	❑
• STAINLESS STEEL JULIENNE DISC 5/32" (4 MM)	PNC 650210	❑
• STAINLESS STEEL JULIENNE DISC 5/16 " (8 MM) FOR FRENCH FRIES	PNC 650211	❑
• STAINLESS STEEL SLICING DISC 1/32 " (1 MM)	PNC 650213	❑
• STAINLESS STEEL SLICING DISC 5/64 " (2 MM)	PNC 650214	❑
• STAINLESS STEEL SLICING DISC 1/8 " (3 MM)	PNC 650215	❑
• STAINLESS STEEL SLICING DISC 3/16 " (5 MM)	PNC 650216	❑
• STAINLESS STEEL SLICING DISC 1/4 " (6 MM)	PNC 650217	❑
• STAINLESS STEEL WAVY SLICING DISC 1/8" (3 MM)	PNC 650218	❑
• STAINLESS STEEL WAVY SLICING DISC 3/16" (5 MM)	PNC 650219	❑
• ALUMINUM SLICING DISC 5/16" (8 MM)	PNC 650220	❑
• ALUMINUM SLICING 3/8" (DISC 10 MM)	PNC 650221	❑
• DICING GRID 5/16"X5/16" (8x8 MM)	PNC 650222	❑
• DICING GRID 3/8"x3/8" (10X10 MM)	PNC 650223	❑
• DICING KIT 5/16" - ALUMINUM SLICER 5/16", GRID 5/16"x5/16" (8X8MM)	PNC 650224	❑
• DICING KIT 3/8" - ALUMINUM SLICER 3/8", GRID 3/8"x3/8" (10X10 MM)	PNC 650225	❑
• EJECTOR FOR VEGETABLE SLICER	PNC 650232	❑
• STAINLESS STEEL SLICING DISC 5/32 " (4 MM)	PNC 650237	❑

Vegetable Slicer
TrinityPro Vegetable Slicers 1800 rpm, 2 discs included

Front




Side



EI = Electrical connection

Top



Electric

Supply voltage:	115 V/1N ph/60 Hz
Electrical power, max:	1 kW
Total Watts:	1 kW

Capacity:

Performance (up to):	150 kg/Cycle

Key Information:

External dimensions, Width:	348 mm
External dimensions, Depth:	315 mm
External dimensions, Height:	527 mm
Shipping weight:	21 kg

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.11.03