Electrolux PROFESSIONAL

Vegetable Slicer TrinityPro Combined Vegetable Slicer/ Cutter Mixer 2.7 quarts, copolyester - Single Speed - US plug

ITEM #

MODEL #

NAME #

SIS #

AIA #



602156 (COM26PUS)	Combined Vegetable Slicer and Cutter Mixer 2.7 qt, with transparent copolyester bowl, 1800 rpm, 2 discs included (grater 2mm, slicer 4mm), 750W, USA plug

Short Form Specification

Item No.

Combined Vegetable Slicer and Cutter Mixer with 2.7 quarts, transparent copolyester. Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1.32 quarts large transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 2 11/64" (55mm) or 1" (25mm). Ideal for grating, slicing/ wavy slice and julienne. 2 discs included: slicer 4mm and grater 2mm. A safety micro switch stops the blade when the feed hopper is opened. Cutter Mixer transparent copolyester lid with scraper and central feed hole for adding products in mid-cycle. Microtoothed rotor blade. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl.
No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Water tight, easy to clean, flat, soft-touch buttons. Single speed 1800 rpm with on/pulse/off function for simple operations. With US plug.

Main Features

- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1.32 qt capacity) and 2 small round feed chutes: 1 " (25mm) and or 2 11/64" (55mm), for precise slicing of long shaped vegetables.
- Uniform cuts and maximized load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 7 3/4" high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Model includes 2 discs: 5/64" (2mm) grater, 5/32" (4mm) slicer.
- Optional discs available of various sizes for slicing, grating and shredding.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function to coarse chopping.
- Easy to clean and watertight control panel with on/off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Includes 2.7 quart transparent bowl with micro-toothed blades rotor.

APPROVAL:

Construction

- 1 speed: 1800 rpm.
- Motor power: 1 HP / 750 Watt.
- Transparent copolyester bowl
- Microtoothed blades in 420 AISI stainless steel and ergonomic scraper in high resistant composite material to ensure consistent mixing.
- IPX5 (IP55) flat panel touch-control, watertight panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Food safety assured thanks to BPA-free materials and compliance with NSF standards.
- Product safety in accordance with international and UL standards.

Included Accessories

- 1 of TRANSPARENT LID FOR 2.7 QT CUTTER MIXER BOWL PNC 650117
- 1 of STAINLESS STEEL GRATING DISC 5/64" (2 MM) PNC 650198
- 1 of FINE SERRATED BLADE ROTOR FOR 2.7QT CUTTER MIXER PNC 650226
- 1 of TRANSPARENT COPOLYESTER BOWL FOR 2.7QT CUTTER MIXER PNC 650229
- 1 of SCRAPER FOR 2.7QT CUTTER MIXER BOWL PNC 650230
- 1 of EJECTOR FOR VEGETABLE SLICER PNC 650232
- 1 of STAINLESS STEEL SLICING DISC 5/32" (4 MM) PNC 650237

Optional Accessories


- Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids PNC 650110 ❑
- TRANSPARENT LID FOR 2.7 QT CUTTER MIXER BOWL PNC 650117 ❑
- TRANSPARENT LID (WITHOUT SEALING) FOR 3,8QT CUTTER MIXER BOWL PNC 650118 ❑
- 3 DISCS SET TRK1 (5/64" SLICER, 3/16" SLICER, 1/8" GRATER) PNC 650196 ❑
- 6 DISCS SET (5/64" SLICING, 3/16" SLICING, 1/8" GRATING, 9/32" GRATING, 3/8" SLICER, 3/8"X3/8 " GRID) PNC 650197 ❑
- STAINLESS STEEL GRATING DISC 5/64" (2 MM) PNC 650198 ❑
- STAINLESS STEEL GRATING DISC 1/8 " (3 MM) PNC 650199 ❑
- STAINLESS STEEL GRATING DISC 5/32" (4 MM) PNC 650205 ❑
- STAINLESS STEEL GRATING DISC 9/32" (7 MM) PNC 650207 ❑
- PARMESAN DISC PNC 650208 ❑
- STAINLESS STEEL JULIENNE DISC 5/64" (2 MM) PNC 650209 ❑
- STAINLESS STEEL JULIENNE DISC 5/32 " (4 MM) PNC 650210 ❑
- STAINLESS STEEL JULIENNE DISC 5/16 " (8 MM) FOR FRENCH FRIES PNC 650211 ❑
- STAINLESS STEEL SLICING DISC 1/32" (1 MM) PNC 650213 ❑
- STAINLESS STEEL SLICING DISC 5/64 " (2 MM) PNC 650214 ❑
- STAINLESS STEEL SLICING DISC 1/8" (3 MM) PNC 650215 ❑
- STAINLESS STEEL SLICING DISC 3/16 " (5 MM) PNC 650216 ❑
- STAINLESS STEEL SLICING DISC 1/4" (6 MM) PNC 650217 ❑
- STAINLESS STEEL WAVY SLICING DISC 1/8" (3 MM) PNC 650218 ❑
- STAINLESS STEEL WAVY SLICING DISC 3/16" (5 MM) PNC 650219 ❑
- ALUMINUM SLICING DISC 5/16" (8 MM) PNC 650220 ❑
- ALUMINUM SLICING 3/8" (DISC 10 MM) PNC 650221 ❑
- DICING GRID 5/16"X5/16" (8x8 MM) PNC 650222 ❑
- DICING GRID 3/8"x3/8" (10X10 MM) PNC 650223 ❑
- DICING KIT 5/16" - ALUMINUM SLICER 5/16", GRID 5/16"x5/16" (8X8MM) PNC 650224 ❑
- DICING KIT 3/8" - ALUMINUM SLICER 3/8", GRID 3/8"x3/8" (10X10 MM) PNC 650225 ❑
- FINE SERRATED BLADE ROTOR FOR 2.7QT CUTTER MIXER PNC 650226 ❑
- SMOOTH BLADE ROTOR FOR 2.7QT CUTTER MIXER PNC 650227 ❑
- STAINLESS STEEL BOWL FOR 2.7QT CUTTER MIXER PNC 650228 ❑
- TRANSPARENT COPOLYESTER BOWL FOR 2.7QT CUTTER MIXER PNC 650229 ❑
- SCRAPER FOR 2.7QT CUTTER MIXER BOWL PNC 650230 ❑
- STAINLESS STEEL BOWL FOR 2.7QT CUTTER MIXER, FINE SERRATED ROTOR, LID WITH SCRAPER PNC 650231 ❑
- EJECTOR FOR VEGETABLE SLICER PNC 650232 ❑
- FINE SERRATED BLADE ROTOR FOR 3.8QT CUTTER MIXER PNC 650233 ❑
- SMOOTH BLADE ROTOR FOR 3.8QT CUTTER MIXER PNC 650234 ❑
- STAINLESS STEEL BOWL FOR 3.8QT CUTTER MIXER PNC 650235 ❑
- SCRAPER FOR 3.8QT CUTTER BOWL PNC 650236 ❑
- STAINLESS STEEL SLICING DISC 5/32 " (4 MM) PNC 650237 ❑

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.


Electrolux PROFESSIONAL

Vegetable Slicer TrinityPro Combined Vegetable Slicer/Cutter Mixer 2.7 quarts, copolyester - Single Speed - US plug

Front




Side



EI = Electrical connection

Rear side



Electric

Supply voltage:	115 V/1N ph/60 Hz
Electrical power, max:	0.75 kW
Plug type:	USA NEMA 5-15P

Key Information:

External dimensions, Width:	13 11/16" (348 mm)
External dimensions, Depth:	12 15/16" (328 mm)
External dimensions, Height:	20 3/4" (527 mm)
Shipping width:	24 13/16" (630 mm)
Shipping depth:	16 5/16" (415 mm)
Shipping height:	20 7/8" (530 mm)
Shipping weight:	46 lbs (20.8 kg)
Approvals	ErgoCert 4*
Capacity:	2.6 kg

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.11.03