



**Electrolux**  
PROFESSIONAL

## Vegetable Slicer TR260 Vegetable Slicer - 2 Speed - lever hopper

ITEM # \_\_\_\_\_  
MODEL # \_\_\_\_\_  
NAME # \_\_\_\_\_  
SIS # \_\_\_\_\_  
AIA # \_\_\_\_\_

**Electrolux**  
PROFESSIONAL



603286 (TR260FH23U)

TR260 Vegetable Slicer - 2  
Speed - lever hopper -  
208V

### Short Form Specification

#### Item No. \_\_\_\_\_

TR26023U-High Volume Production Vegetable Cutter, continuous feed design, large single feed hopper, handle pusher, standard ejector, stainless steel construction, 2-2/3 HP, 208-240v/60/3, 8.3 amps, 2 kW, NEMA L15-20P

### Main Features

- Continuous feed model.
- Optional stainless steel mobile stand accessory.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Available upon request:-Automatic hopper (dia=280 mm), lever-operated hopper, long vegetable hopper (3 tubes) and cabbage hopper.
- Complete selection of blades and dicing grids available (diameter 300 mm).
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- "No volt release" safety device.
- Available as option a long vegetable accessory to fit in the lever operated hopper converting it into a long vegetable hopper (3 cylindrical hoppers: 50, 59,5, 70 mm diameter)
- Suitable for up to 600 meals for table service and up to 2000 meals for catering service.

### Construction

- 2 speed: 330-660 rpm.
- Power: 2000 or 2200 watts.
- Capacity depending on the hopper:  
-lever hopper: 1500lbs/hr (700kg/hr)  
-automatic hopper: 5500lbs/hr (2500kg/hr)

### Included Accessories

- 1 of Feed tray to be combined with cabbage hopper & long vegetable hopper PNC 650036
- 1 of Lever feed hopper. PNC 653510

### Optional Accessories

- Feed tray to be combined with cabbage hopper & long vegetable hopper PNC 650036 ☐
- Grating Disc Stainless Steel for Parmesan/Chocolate PNC 650148 ☐
- Grating Disc Stainless Steel for Breadcrumbs/Potatoes PNC 650149 ☐
- Grating Disc Stainless Steel 5/64 " (2mm) PNC 650150 ☐
- Grating Disc Stainless Steel 1/8 " (3mm) PNC 650151 ☐
- Grating Disc Stainless Steel 5/32 " (4mm) PNC 650152 ☐
- Grating Disc Stainless Steel 9/32 " (7mm) PNC 650153 ☐
- Grating Disc Stainless Steel 11/32 " (9mm) PNC 650154 ☐
- Mobile stand, stainless steel PNC 653017 ☐
- Dicing Grid Stainless Steel 3/8 " (10mm) PNC 653051 ☐
- Dicing Grid Stainless Steel 5/8 " (16mm) PNC 653052 ☐

APPROVAL: \_\_\_\_\_


|                                                    |            |                          |
|----------------------------------------------------|------------|--------------------------|
| • Dicing Grid Stainless Steel 25/32<br>" (20mm)    | PNC 653053 | <input type="checkbox"/> |
| • Dicing Grid Stainless Steel 31/32<br>" (25mm)    | PNC 653054 | <input type="checkbox"/> |
| • Dicing Grid Stainless Steel 1 1/4<br>" (32mm)    | PNC 653055 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 5/64<br>" (2mm)     | PNC 653172 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 1/8" (3mm)          | PNC 653173 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 1/32" (1mm)         | PNC 653188 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 3/16" (5mm)         | PNC 653189 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 1/4" (6mm)          | PNC 653190 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 5/16" (8mm)         | PNC 653191 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 3/8" (10mm)         | PNC 653192 | <input type="checkbox"/> |
| • Slicing Disc Stainless Steel 5/8" (16mm)         | PNC 653193 | <input type="checkbox"/> |
| • Julienne Disc Stainless Steel 5/64<br>" (2mm)    | PNC 653195 | <input type="checkbox"/> |
| • Julienne Disc Stainless Steel 1/8" (3mm)         | PNC 653196 | <input type="checkbox"/> |
| • Julienne Disc Stainless Steel 5/32<br>" (4mm)    | PNC 653197 | <input type="checkbox"/> |
| • Julienne Disc Stainless Steel 1/4" (6mm)         | PNC 653198 | <input type="checkbox"/> |
| • Julienne Disc Stainless Steel 5/16<br>" (8mm)    | PNC 653199 | <input type="checkbox"/> |
| • Julienne Disc Stainless Steel 3/8<br>" (10mm)    | PNC 653200 | <input type="checkbox"/> |
| • Blade rack, stainless steel                      | PNC 653212 | <input type="checkbox"/> |
| • Krinkle Cut Disc Stainless Steel 5/64<br>" (2mm) | PNC 653217 | <input type="checkbox"/> |
| • Krinkle Cut Disc Stainless Steel 1/8<br>" (3mm)  | PNC 653218 | <input type="checkbox"/> |
| • Krinkle Cut Disc Stainless Steel 1/4<br>" (6mm)  | PNC 653219 | <input type="checkbox"/> |
| • Dicing Grid Stainless Steel 15/32<br>" (12mm)    | PNC 653301 | <input type="checkbox"/> |
| • Lever feed hopper.                               | PNC 653510 | <input type="checkbox"/> |




**Electrolux**  
PROFESSIONAL

## Vegetable Slicer TR260 Vegetable Slicer - 2 Speed - lever hopper

Front




Side



EI = Electrical connection

Top



### Electric

Supply voltage: 208-240 V/3 ph/60 Hz

Total Watts: 2 kW

Plug type: USA NEMA L15-20P

### Key Information:

External dimensions, Width: 29 1/2" (750 mm)

External dimensions, Depth: 14 15/16" (380 mm)

External dimensions, Height: 18 1/8" (460 mm)

Shipping width: 31 1/2" (800 mm)

Shipping depth: 19 11/16" (500 mm)

Shipping height: 47 1/4" (1200 mm)

Shipping weight: 146 lbs (66 kg)

Vegetable Slicer  
TR260 Vegetable Slicer - 2 Speed - lever hopper

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.07.30