# Electrolux PROFESSIONAL

Premium Preparation 1200 mm Soaking Sink with 1 Bowl



ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

## **Main Features**

• Sturdiness, stability and reliability of table accurately tested.

## Construction

- 100 mm upstand with 10 mm radioused corner and 13 mm deep, designed to be used against a wall.
- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by -60/+10 mm.
- Wide range of taps are available to suit every need.
- Heavy duty construction entirely in AISI 304 stainless steel to offer maximum durability.
- Pan washing support to use inside the bowl is available as an accessory.


## **Optional Accessories**

- Lower shelf for 1200mm for units PNC 855282 🗅
- Set of 4 wheels (2 with brake) d. PNC 855288 🛛
- 100mm • 3-sided underframe for 1200mm PNC 855290 □ tables
- Elbow operated mixer tap with PNC 855322 spout 3/4", single hole
- Elbow operated mixer tap with PNC 855323 short spout 3/4", single hole
- Foot operated mixer tap (hot and cold) with spout 3/4"
- Single plastic drain syphon 2" for PNC 895313 □ Sinks

#### APPROVAL:



## Premium Preparation 1200 mm Soaking Sink with 1 Bowl



#### Premium Preparation 1200 mm Soaking Sink with 1 Bowl

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



## Key Information:

External dimensions, Width:	
133115 (VLP1201SEN)	1200 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	900 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=10
Bowls number	1
Bowl dimensions	960x500xH400
Worktop thickness:	50 mm
Net weight:	50 kg



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.