

Premium Preparation 1400 mm Sink Unit with 1 Bowl -Right drain

| ITEM # | | |
|---------|--|--|
| MODEL # | | |
| NAME # | | |
| | | |
| SIS # | | |
| AIA# | | |



133107 (LG1416DXEN)

Sink Unit, with 1 bowl (600x500x320mm) and right-hand drainer, 1400mm

Short Form Specification

Item No.

The 50mm high worktop in 304 AISI stainless steel, 1,2mm in thickness, is sound-deadened and has an overflow rim and welded corners. Integral rear upstand, h=100mm, with 10mm radius. All-round apron panelling in 304 AISI s/s.

Round section legs and feet in 304 AISI stainless steel, 50mm in diameter. Height-adjustable feet (+0-50mm).

Single-pressed, sound-deadened bowl mm 600x500x300h with overflow pipe and drain hole (2"). Right hand drainer inclined towards the bowl.

Main Features

• Sturdiness, stability and reliability of table accurately tested.

Construction

- 100 mm upstand with 10 mm radioused corner and 13 mm deep, designed to be used against a wall.
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by +0/-40 mm.
- 50 mm thick lower shelf, in 304 AISI stainless steel, can be easily slotted into position, 200 mm from the floor.
- Delivered in knock-down package.
- Wide range of taps are available to suit every need.
- Drainage area suitable for drying operations
- Heavy duty construction entirely in AISI 304 stainless steel to offer maximum durability.

Optional Accessories


and cold) with spout 3/4"

| Lower shelf for 1400mm for units | PNC 855283 🗆 |
|---|--------------|
| • Set of 4 wheels (2 with brake) d. 100mm | PNC 855288 🗆 |
| • 3-sided underframe for 1400mm tables | PNC 855291 □ |
| Elbow operated mixer tap with spout 3/4", single hole | PNC 855322 □ |
| Elbow operated mixer tap with short spout 3/4", single hole | PNC 855323 🗖 |
| Foot operated mixer tap (hot | PNC 855328 🗆 |


 Single plastic drain syphon 2" for PNC 895313 ☐ Sinks

APPROVAL:









Premium Preparation 1400 mm Sink Unit with 1 Bowl - Right drain



Premium Preparation 1400 mm Sink Unit with 1 Bowl -Right drain

Key Information:

External dimensions, Width:

133107 (LG1416DXEN) 1400 mm

External dimensions,

700 mm Depth:

External dimensions,

Height: 900 mm

Upstand Dimensions,

100 mm Height:

Upstand Dimensions, Depth:

13 mm Upstand Dimensions,

R=10 Radius: **Bowls number**

Bowl dimensions 600x500xH320

Worktop thickness: 50 mm Net weight: 46 kg

