



**Electrolux**  
PROFESSIONAL

## Premium Preparation 1600 mm Meat & Fish Processing/ Washing Table

ITEM #

MODEL #

NAME #

SIS #

AIA #



132963 (TLC1600EN)

Meat and Fish Processing/  
Washing Table with  
perforated and removable  
Plates, knife holder,  
polythene cutting board,  
drain, scraping hole and  
upstand, 1600mm

### Short Form Specification

#### Item No.

50mm high worktop in 304 AISI stainless steel, 1,5mm in thickness, sound-deadened, anti-drip edges and welded corners. Integral radiused rear upstand, h=100mm with 10mm radius. All-round apron. Round section legs and feet in 304 AISI stainless steel, 50mm in diameter. N.I polythene cutting board 1130x225x25h mm, drain and waste scraping hole on front.

### Main Features

- Sturdiness, stability and reliability of table accurately tested.

### Construction

- Table can be equipped with a mobile bin with lid for waste disposal (optional accessory).
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by +0/-40 mm.
- Unit features a 20 mm deep recessed surface, a polythene cutting board and a scraping hole on the front, perforated and sectionated removable tops, an easily removable GN liquid container and a knife holder. Knife sanitizer can be supplied as optional.

### Optional Accessories


- Single drawer GN 1/1, 400mm PNC 855280 ☐
- Single drawer, 600mm PNC 855281 ☐
- Lower shelf for 1600mm for units PNC 855284 ☐
- Set of 4 wheels (2 with brake) d. 100mm PNC 855288 ☐
- 3-sided underframe for 1600mm tables PNC 855292 ☐
- Additional drawer, 600mm (to set up a chest of 2, 3, 4 drawers) PNC 855295 ☐
- Additional drawer GN 1/1, 400mm (to set up a chest of 2, 3, 4 drawers) PNC 855298 ☐
- Elbow operated mixer tap with spout 3/4", single hole PNC 855322 ☐
- Elbow operated mixer tap with short spout 3/4", single hole PNC 855323 ☐
- Foot operated mixer tap (hot and cold) with spout 3/4" PNC 855328 ☐

APPROVAL: \_\_\_\_\_




Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)

Front




Side



D = Drain

Top





**Electrolux**  
PROFESSIONAL

## Premium Preparation 1600 mm Meat & Fish Processing/ Washing Table

### Key Information:

External dimensions,  
Width:

132963 (TLC1600EN) 1600 mm

External dimensions,  
Depth:

700 mm

External dimensions,  
Height:

1000 mm

Upstand Dimensions,  
Height:

100 mm

Upstand Dimensions,  
Depth:

13 mm

Upstand Dimensions,  
Radius:

R=10

Bowls number

1

Bowl dimensions

1670x320xH180

Worktop thickness:

50 mm

Net weight:

60 kg



Premium Preparation  
1600 mm Meat & Fish Processing/Washing Table

The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.07.01