

Premium Preparation 1600 mm Vegetables Processing Table with Upstand

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



133069 (TLV1810PN)

Vegetables Processing/ Washing Table with 2 bowls, 1 polythene cutting board, scraping hole and upstand, 1600mm

Short Form Specification

Item No.

50mm high worktop in 304 AISI stainless steel, 1,5mm in thickness, sound-deadened, anti-drip edges and welded corners. 2 bowls (684x303x180h mm). Integral radiused rear upstand, h=100mm with 10mm radius. All-round apron. Round section legs and feet in 304 AISI stainless steel, 50mm in diameter. N.1 polythene cutting board and scraping hole on front.

Main Features

• Sturdiness, stability and reliability of table accurately tested.

Construction

- 100 mm upstand with 10 mm radioused corner and 13 mm deep, designed to be used against a wall.
- Table can be equipped with a mobile bin with lid for waste disposal (optional accessory).
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by +0/-40 mm.
- Table can be equipped with a set of castors as an alternative to the feet.
- Delivered in knock-down package.
- Single-pressed bowl AISI 304 stainless steel bowl with overflow pipe and drain hole.
- Wide range of taps are available to suit every need.
- Upstand back completely covered with Stainless Steel welded profile.
- Heavy duty construction entirely in AISI 304 stainless steel to offer maximum durability.

Optional Accessories

- Lower shelf for 1600mm for units
 Set of 4 wheels (2 with brake) d. 100mm
 3-sided underframe for 1600mm tables
 Elbow operated mixer tap with spout 3/4", single hole
 Elbow operated mixer tap with short spout 3/4", single hole
 PNC 855284 □
 PNC 855292 □
 PNC 855322 □
 PNC 855323 □
- Foot operated mixer tap (hot and cold) with spout 3/4"


 PNC 855328 □

APPROVAL:









Premium Preparation 1600 mm Vegetables Processing Table with Upstand



Premium Preparation 1600 mm Vegetables Processing Table with Upstand

Key Information:

External dimensions, Width:

133069 (TLV1810PN)

1600 mm

External dimensions,

700 mm

Depth:

External dimensions,

Height:

1000 mm

Upstand Dimensions, Height:

100 mm

Upstand Dimensions,

Depth:

13 mm

Upstand Dimensions,

R=10 50 mm

Radius: Worktop thickness: Net weight: 60 kg

