Electrolux

Premium Preparation 1800 mm Work Table with Upstand - Left Bowl

		м • • • •
133064 (TL1810SXEN)	Work Table with left-hand bowl, upstand and WorkTop, 1800mm	0
Short Form Specification		
Item No.		•
The 50mm high worktop in 304 AISI stainless steel, 1,5mm in thickness, is sound-deadened and has anti-drip edges and welded corners. Under-top reinforcement in 304 AISI stainless steel. Integral rear upstand, h=100mm, with 10mm radius. Round section legs and feet in 304 AISI stainless steel, 50mm in diameter. Height-adjustable feet (+0-50mm). Single-pressed, sound-deadened bowl mm 400x400x200h with overflow pipe and drain hole (1"1/2). Bowl on the left hand side.		•

ЕМ #	
IODEL #	
AME #	
IS #	
IA #	_

ain Features

- The table can be ordered with the drawer of 400 mm or 600 mm (optional accessory): thanks to the design of the drawer, additional drawers can be added to the first single drawer to create chest of 2, 3 or 4 drawers based on customer's needs.
- Sturdiness, stability and reliability of table accurately tested.

onstruction

- 100 mm upstand with 10 mm radioused corner and 3 mm deep, designed to be used against a wall.
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by 0/-40 mm.
- Delivered in knock-down package.
- Wide range of taps are available to suit every need.
- Jpstand back completely covered with Stainless Steel welded profile.
- Heavy duty construction entirely in AISI 304 stainless steel to offer maximum durability.
- 50 mm worktop in 304 AISI stainless steel, 15/10 in thickness with scotch brite finish, welded corners and reinforced underpanel, anti-drip edges, incorporates an 16 mm layer of sound deadening material.


plional Accessories

- Single drawer GN 1/1, 400mm PNC 855280 🗅 Single drawer, 600mm PNC 855281 Lower shelf for 1800mm for units PNC 855285 🗅 Set of 4 wheels (2 with brake) d. PNC 855288 🗅 100mm 3-sided underframe for 1800mm PNC 855293 🗅
- ables Additional drawer, 600mm (to PNC 855295 🗅
- set up a chest of 2, 3, 4 drawers) Additional drawer GN 1/1, PNC 855298 🛛 400mm (to set up a chest of 2, 3, 4 drawers)
- Single plastic drain syphon 1,5 PNC 855306 🗅 for work tables with bowl
- Elbow operated mixer tap with PNC 855322 🗅 spout 3/4", single hole
- Elbow operated mixer tap with PNC 855323 🗅 short spout 3/4", single hole
- Foot operated mixer tap (hot PNC 855328 🛛 and cold) with spout 3/4

APPROVAL:



Premium Preparation 1800 mm Work Table with Upstand -Left Bowl



Premium Preparation 1800 mm Work Table with Upstand - Left Bowl

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



Key Information:

External dimensions, Width:	
133064 (TL1810SXEN)	1800 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	900 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=10
Bowls number	1
Bowl dimensions	400x400xH250
Worktop thickness:	50 mm
Net weight:	54 kg

