

Premium Preparation 2100 mm Sink Unit with 2 Bowls -Left Drain

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA#	
AIA "	



133114 (LG2126SXEN)

Sink Unit, with 2 bowls (600x500x320mm) and left-hand drainer, 2100mm

Short Form Specification

Item No.

The 50mm high worktop in 304 AISI stainless steel, 1,2mm in thickness, is sound-deadened and has an overflow rim and welded corners. Integral rear upstand, h=100mm, with 10mm radius. All-round apron panelling in 304 AISI s/s.

Round section legs and feet in 304 AISI stainless steel, 50mm in diameter. Height-adjustable feet (+0-50mm).

Single-pressed, sound-deadened bowls mm 600x500x300h with overflow pipe and drain hole (2"). Left hand drainer inclined towards the bowl.

Main Features

• Sturdiness, stability and reliability of table accurately tested.

Construction

- 100 mm upstand with 10 mm radioused corner and 13 mm deep, designed to be used against a wall.
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by +0/-40 mm.
- 50 mm thick lower shelf, in 304 AISI stainless steel, can be easily slotted into position, 200 mm from the floor.
- Delivered in knock-down package.
- Wide range of taps are available to suit every need.
- Drainage area suitable for drying operations
- Heavy duty construction entirely in AISI 304 stainless steel to offer maximum durability.

Optional Accessories

Sinks


Optional Accessories	
 Lower shelf for 2100mm tables and sinks 	PNC 855279 □
• Set of 4 wheels (2 with brake) d. 100mm	PNC 855288 □
 Elbow operated mixer tap with spout 3/4", single hole 	PNC 855322 □
 Elbow operated mixer tap with short spout 3/4", single hole 	PNC 855323 □
 Foot operated mixer tap (hot and cold) with spout 3/4" 	PNC 855328 □
• Single plastic drain syphon 2" for	PNC 895313 📮

APPROVAL:





Premium Preparation 2100 mm Sink Unit with 2 Bowls -Left Drain



Premium Preparation 2100 mm Sink Unit with 2 Bowls - Left Drain



Premium Preparation 2100 mm Sink Unit with 2 Bowls -Left Drain

Key Information:

External dimensions, Width:

133114 (LG2126SXEN) 2100 mm

External dimensions,

700 mm Depth:

External dimensions,

Height: 900 mm

Upstand Dimensions,

Height:

Upstand Dimensions, Depth:

Upstand Dimensions,

R=10 Radius: Bowls number

Bowl dimensions 600x500xH320

100 mm

13 mm

Worktop thickness: 50 mm 65 kg Net weight:

