

Flexy Compact Ambient unit on cupboard (4GN) with wheels, H=900mm

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	



322047 (F00N4AW00S)

Ambient Unit on cupboard (4 GN) with wheels and two stainless steel tray sliders, H=900mm

Short Form Specification

Item No.

Compact design, ideal for space saving environments. AISI 304 Foldable tray sliders on long sides. Unit mounted on 125 mm wheels 2 swivel and 2 with brakes. Top provides ample displaying or workspace surface. Soft closing doors on operator side. Underneath ambient cupboard with doors. Sturdy body construction with laminated panelings on 4 sides. 900mm worktop height.

Main Features


- Perfect compact design makes it ideal for space saving environments.
- CB and CE certifed by a third party notified body.
- Soft closing doors on operator side.
- Available options with online configurator: colors, tray sliders, overshelves, feet/wheels with desired diameter, height 750mm for kids.
- Top provides ample displaying or workspace surface.
- Optional plinth can be installed to cover the feet or the wheels.
- AISI 304 Tray slider in flush mounted stainless steel is installed on long sides and they can also be folded down to facilitate passage of the units through doorways.
- Ideal for servery lines without an operator.
- Unit mounted on 125 mm wheels 2 swivel and 2 with brakes.
- Food introduced at the correct temperature maintains its core temperature according to Afnor Standards.
- Available dimensions: 1, 2, 3, 4 GN.
- Thanks to the sleek, minimalist glass structure, food and dust does not get trapped and the cleaning is made easier.

Construction


- Top in AISI 304.
- Sturdy construction with laminated panelings on 4 sides.

APPROVAL:










Flexy Compact Ambient unit on cupboard (4GN) with wheels, H=900mm





Key Information:

N° of doors:

322047 (F00N4AW00S) 2

External dimensions,

Width: 1420 mm

External dimensions,

Depth: 1180 mm

External dimensions,

Height: 900 mm

Net weight: 110 kg

Shipping height: 1100 mm

Shipping width: 900 mm

Shipping depth: 1440 mm

Shipping volume: 1.43 m³

