Electrolux PROFESSIONAL

Flexy Compact Ambient unit on cupboard (1GN) with wheels, H=750mm

ITEM #

MODEL #

NAME #

SIS #

AIA #

322069 (F00N1KW00S)	Ambient Unit on cupboard (1 GN) with wheels and two stainless steel tray sliders, H=750mm

Short Form Specification

Item No.

Compact design, ideal for space saving environments. AISI 304 Foldable tray sliders on long sides. Unit mounted on 125 mm wheels 2 swivel and 2 with brakes. Top provides ample displaying or workspace surface. Sturdy body construction with laminated panelings on 4 sides. 750mm worktop height.

APPROVAL:

Main Features

- Perfect compact design makes it ideal for space saving environments.
- CB and CE certifed by a third party notified body.
- Soft closing doors on operator side.
- Available options with online configurator: colors, tray sliders, overshelves, feet/wheels with desired diameter, height 750mm for kids.
- Top provides ample displaying or workspace surface.
- Optional plinth can be installed to cover the feet or the wheels.
- AISI 304 Tray slider in flush mounted stainless steel is installed on long sides and they can also be folded down to facilitate passage of the units through doorways.
- Ideal for servery lines without an operator.
- Unit mounted on 125 mm wheels 2 swivel and 2 with brakes.
- Food introduced at the correct temperature maintains its core temperature according to Afnor Standards.
- Available dimensions: 1, 2, 3, 4 GN.
- Thanks to the sleek, minimalist glass structure, food and dust does not get trapped and the cleaning is made easier.

Construction

- Top in AISI 304.
- Sturdy construction with laminated panelings on 4 sides.

Flexy Compact
Ambient unit on cupboard (1GN) with wheels, H=750mm

Flexy Compact
Ambient unit on cupboard (1GN) with wheels, H=750mm

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.03.10

Flexy Compact
Ambient unit on cupboard (1GN) with wheels, H=750mm

Key Information:

N° of doors:	
322069 (F00N1KW00S)	1
External dimensions, Width:	450 mm
External dimensions, Depth:	1180 mm
External dimensions, Height:	750 mm
Net weight:	41 kg
Shipping height:	780 mm
Shipping width:	490 mm
Shipping depth:	899 mm
Shipping volume:	0.34 m^3

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.