

## Flexy Compact Corner Unit (90 degrees) with wheels and two stainless steel tray sliders, H=900mm

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA#	



322074 (F31N0AW00S)

Corner Unit (90 degrees) with wheels and two stainless steel tray sliders, H=900mm

# **Short Form Specification**

### Item No.

Compact design, ideal for space saving environments. AISI 304 Foldable tray sliders. Unit mounted on 125 mm wheels 2 swivel and 2 with brakes. Top provides ample displaying or workspace surface. Sturdy body construction with laminated panelings. 900mm worktop height. Designed to allow 2 units to be connected in a corner configuration. Enables the direction of the servery line to be changed depending on needs and the configuration of the location.

#### **Main Features**

- Perfect compact design makes it ideal for space saving environments.
- CB and CE certifed by a third party notified body.
- Available options with online configurator: colors, tray sliders, overshelves, feet/wheels with desired diameter, height 750mm for kids.
- Designed to allow 2 units to be connected in a corner configuration.
- Enables the direction of the servery line to be changed depending on needs and the configuration of the location.
- Optional plinth can be installed to cover the feet or the wheels.
- AISI 304 Tray slider in flush mounted stainless steel is installed on long sides and they can also be folded down to facilitate passage of the units through doorways.
- Unit mounted on 125 mm wheels 2 swivel and 2 with brakes.
- Food introduced at the correct temperature maintains its core temperature according to Afnor Standards.


#### Construction

- Top in AISI 304.
- Sturdy construction with laminated panelings on 4 sides.

APPROVAL:







Flexy Compact
Corner Unit (90 degrees) with wheels and two stainless steel tray sliders,
H=900mm
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.



## **Key Information:**

N° of doors:

322074 (F31N0AW00S) 1

External dimensions,

Width: 1320 mm

External dimensions,

1000 mm Depth:

External dimensions,

Height: 900 mm Net weight: 69 kg Shipping height: 1130 mm Shipping width: 810 mm Shipping depth: 1360 mm Shipping volume: 1.24 m<sup>3</sup>

