



**Flexy Compact  
Corner Unit (90 degrees) with wheels  
and two stainless steel tray sliders,  
H=900mm**

**ITEM #** \_\_\_\_\_  
**MODEL #** \_\_\_\_\_  
**NAME #** \_\_\_\_\_  
**SIS #** \_\_\_\_\_  
**AIA #** \_\_\_\_\_



**322074 (F31N0AW00S)**

Corner Unit (90 degrees)  
with wheels and two  
stainless steel tray sliders,  
H=900mm

### Short Form Specification

#### Item No.

Compact design, ideal for space saving environments. AISI 304 Foldable tray sliders. Unit mounted on 125 mm wheels 2 swivel and 2 with brakes. Top provides ample displaying or workspace surface. Sturdy body construction with laminated panelings. 900mm worktop height. Designed to allow 2 units to be connected in a corner configuration. Enables the direction of the servery line to be changed depending on needs and the configuration of the location.

### Main Features

- Perfect compact design makes it ideal for space saving environments.
- CB and CE certified by a third party notified body.
- Available options with online configurator: colors, tray sliders, overshelves, feet/wheels with desired diameter, height 750mm for kids.
- Designed to allow 2 units to be connected in a corner configuration.
- Enables the direction of the servery line to be changed depending on needs and the configuration of the location.
- Optional plinth can be installed to cover the feet or the wheels.
- AISI 304 Tray slider in flush mounted stainless steel is installed on long sides and they can also be folded down to facilitate passage of the units through doorways.
- Unit mounted on 125 mm wheels 2 swivel and 2 with brakes.
- Food introduced at the correct temperature maintains its core temperature according to Afnor Standards.


### Construction

- Top in AISI 304.
- Sturdy construction with laminated panelings on 4 sides.

### APPROVAL:



Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)



**Flexy Compact**  
**Corner Unit (90 degrees) with wheels and two stainless steel tray sliders,**  
**H=900mm**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.01.12

**Key Information:**

<b>Nº of doors:</b>	1
<b>External dimensions,</b> <b>Width:</b>	1320 mm
<b>External dimensions,</b> <b>Depth:</b>	1000 mm
<b>External dimensions,</b> <b>Height:</b>	900 mm
<b>Net weight:</b>	69 kg
<b>Shipping height:</b>	1130 mm
<b>Shipping width:</b>	810 mm
<b>Shipping depth:</b>	1360 mm
<b>Shipping volume:</b>	1.24 m <sup>3</sup>

