

## Flexy Compact Ambient Unit on cupboard (1 GN) with one stainless steel tray slider

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	



322107 (F00N1AF00W)

Ambient Unit on cupboard (1 GN) with one stainless steel tray slider, H=900mm

## **Short Form Specification**

#### Item No.

Compact design, ideal for space saving environments. Stainless steel tubular tray slider on customer side. Top provides ample displaying or workspace surface. Unit mounted on 150 mm high feet. Sturdy body construction with laminated panelings on 4 sides.

#### **Main Features**

- CB and CE certifed by a third party notified body.
- Tray slider in tubular stainless steel is installed on the customer side and it can also be folded down to facilitate passage of the units through doorways.
- Ideal for servery lines with an operator.
- Unit mounted on 150 mm high feet.
- Soft closing doors on operator side.
- Available options with online configurator: colors, tray sliders, overshelves, feet/wheels with desired diameter, height 750mm for kids.
- Top provides ample displaying or workspace surface.
- Optional plinth can be installed to cover the feet or the wheels.
- Perfect compact design makes it ideal for space saving environments.
- Food introduced at the correct temperature maintains its core temperature according to Afnor Standards.
- Available dimensions: 1, 2, 3, 4 GN.
- Thanks to the sleek, minimalist glass structure, food and dust does not get trapped and the cleaning is made easier.

#### Construction


- Top in AISI 304.
- Sturdy construction with laminated panelings on 4 sides

APPROVAL:









 $\qquad \qquad \text{Flexy Compact} \\ \text{Ambient Unit on cupboard (1 GN) with one stainless steel tray slider}$ 



# Flexy Compact Ambient Unit on cupboard (1 GN) with one stainless steel tray slider

### **Key Information:**

N° of doors:

**322107 (F00N1AF00W)** 

External dimensions,

Width: 450 mm

External dimensions,

**Depth:** 915 mm

External dimensions,

Height:900 mmNet weight:40 kgShipping height:930 mmShipping width:470 mmShipping depth:710 mm

