

## Drop-In Drop-in tempered glass top (2 GN container capacity) with A overshelf

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_


**341180 (D04C2)**

 Drop-in Tempered Glass Top  
 (2 GN container capacity)  
 with one A type overshelf  
 with hot lamps

### Short Form Specification

#### Item No.

Designed to serve the food in plates, casseroles, pans. It comes with stylish black coloured tempered heated glass with integrated etched foil elements and stainless steel framed. Special design etched foil heating elements to maximize heat transmission on the surface for having the same temperature on the whole surface. Ideal for elegant buffet to display warm food, such as pizza, bun, etc. thanks to the extended surface top. CHAR(13)CHAR(10) AISI 304 Stainless steel frame with rounded corners to facilitate cleaning operations. Stylish A type overshelf designed for extra increased visibility on the surface for charming food display. Overshelf equipped with hot halogen lamps.

### Main Features

- Electronic overheating protection.
- Precise temperature control and setting at 0,1°C .
- As standard the product comes with digitally controlled thermostat which is in line of HACCP norms and provides visual alarm as a warning of the increasing or decreasing temperatures.
- Designed to serve the food in plates, casseroles, pans
- It comes with stylish black coloured tempered heated glass with integrated etched foil elements and stainless steel framed.
- Special design etched foil heating elements to maximize heat transmission on the surface for having the same temperature on the whole surface.
- Ideal for elegant buffet to display warm food, such as pizza, bun, etc. thanks to the extended surface top.
- CB and CE certified by a third party notified body.
- Food introduced at the correct temperature maintains its core temperature according to Afnor Standards.
- Stylish A type overshelf designed for extra increased visibility on the surface for charming food display.
- Overshelf equipped with hot halogen lamps.
- Designed to be positioned in flush installation providing improved cleanability and suitable for modern design installations.

### Construction

- Electronic control with temperature display.
- AISI 304 Stainless steel frame with rounded corners to facilitate cleaning operations
- IPx4 water protection.
- Heating elements connected to the bottom include safety thermostat.
- Overshelf in complete AISI 304.


APPROVAL: \_\_\_\_\_




**Electrolux**  
PROFESSIONAL

**Drop-In**  
**Drop-in tempered glass top (2 GN**  
**container capacity) with A overself**

Front




Side



EI = Electrical inlet (power)

Top



**Drop-In**  
**Drop-in tempered glass top (2 GN container capacity) with A overself**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.10.27



**Electrolux**  
PROFESSIONAL

## Drop-In Drop-in tempered glass top (2 GN container capacity) with A overshelf

### Electric

|                        |                          |
|------------------------|--------------------------|
| Supply voltage:        | 220-240 V/1N ph/50/60 Hz |
| Electrical power, max: | 0.6 kW                   |

### Key Information:

|                              |                     |
|------------------------------|---------------------|
| External dimensions, Width:  | 770 mm              |
| External dimensions, Depth:  | 620 mm              |
| External dimensions, Height: | 484 mm              |
| Net weight:                  | 30.36 kg            |
| Shipping weight:             | 53 kg               |
| Shipping height:             | 800 mm              |
| Shipping width:              | 680 mm              |
| Shipping depth:              | 820 mm              |
| Shipping volume:             | 0.45 m <sup>3</sup> |
| Set temperature:             | +105 / +115 °C      |

### Sustainability






Noise level:



Drop-In  
Drop-in tempered glass top (2 GN container capacity) with A overshelf

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.10.27



| CAPACITY | CUTOUT |     | LOWERING FOR FLUSH INSTALLATION |     | C    |
|----------|--------|-----|---------------------------------|-----|------|
|          | A1     | B1  | A2                              | B2  |      |
| 2GN      | 740    | 560 | 774                             | 624 | 855  |
| 3GN      | 1070   |     | 1104                            |     | 1190 |
| 4GN      | 1390   |     | 1424                            |     | 1510 |

