Electrolux PROFESSIONAL

Stainless Steel Preparation 373x772 mm Aluminum Linear Units



ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		

Main Features

- Complete shelving system allows rapid and easy fixing of the shelves to the uprights.
- GN 1/1, GN 1/2 and GN 1/3 can be inserted into the frame.

Construction


- Uprights and shelf frames constructed entirely in anodized aluminium (20 micron).
- 4 tiers.
- Shelves made by section of polyethylene tablets.
- Sectional polyethylene shelves are dishwasher safe.

Optional Accessories

- Polyethylene shelf with PNC 850035 🗅 aluminium frame, 373x708mm PNC 850070 🗅
- Angle joint for shelves (depth=373mm)
- 2 swivelling wheels, 100mm PNC 850072 🗅
- 2 swivelling wheels with brakes, 100mm PNC 850073 🗅



Stainless Steel Preparation 373x772 mm Aluminum Linear Units



Key Information:

Uprights	
137010 (ALS772)	2
External dimensions, Width:	772 mm
External dimensions, Depth:	373 mm
External dimensions, Height:	1700 mm
Max loading weight:	1040 kg
Net weight:	16 kg

Stainless Steel Preparation 373x772 mm Aluminum Linear Units

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



CE

Stainless Steel Preparation 373x772 mm Aluminum Linear Units

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.