



**Electrolux**  
PROFESSIONAL

## Beverage Dispensing System Chilled Juice Dispenser

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



**560029 (FJUICE)**

Chilled Juice Dispenser with  
4-flavor dispensers or 3-  
flavor and 1 Water Dispenser  
(3 l capacity each), R134a

### Short Form Specification

**Item No.** \_\_\_\_\_

Dispense chilled beverages produced starting from concentrate juice. Pressure-sealed insulated tank assures that the juice temperature doesn't change even in case of continuous dispense. Water level in the tank is automatically restores after every dispense. It can be used both with glass or jug. Pre-set dose or push control dispensing can be settled.

### Main Features

- Dispense chilled beverages produced starting from concentrate juice.
- Pressure-sealed insulated tank assures that the juice temperature doesn't change even in case of continuous dispense.
- Water level in the tank is automatically restored after every dispense.
- It can be used both with glass or jug.
- Pre-set dose or push control dispensing can be settled.

### Construction


- The unit is provided with 3/4 inch connection pipe for water inlet.

**APPROVAL:** \_\_\_\_\_




Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)


Other



Front



Side





**Electrolux**  
PROFESSIONAL

## Beverage Dispensing System Chilled Juice Dispenser

### Electric

Supply voltage: 220-230 V/1 ph/50/60 Hz  
Electrical power max: 0.33 kW

### Key Information:

Net weight: 50 kg

### Sustainability

Refrigerant type: R134a  
Refrigerant weight: 100 g



**Beverage Dispensing System  
Chilled Juice Dispenser**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.04.18