

**Soft Served  
 Roma Soft Ice Cream Dispenser, 2  
 flavours+1mix, electr.control&touch  
 panel, 650cones/h-pump**

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_


**560079 (ROM218DPA3PH)**

Soft ice cream dispenser with 2x11 l tank capacity and 1,95 l cylinder volume, 2 flavours + 1 mix, electronic control and touch screen panel, free standing, hourly production: 650 cones (75 gr), pump version, R452A

### Short Form Specification

**Item No.** \_\_\_\_\_

Soft ice cream dispenser with 2x11 l tank capacity and 1,95 l cylinder volume, 2 flavours + 1 mix, hourly capacity: 650 cones/h (75gr cones). Digital control and touch screen panel, free standing with pump version. Tank agitator and drip tray are included as standard. Air-cooled version: requires no water connections that means less operating costs and it is easy to install. Environmentally friendly: R452a as refrigerant gas.

### Main Features

- Free-standing appliance, two-flavors equipment with pump feeding system.
- It delivers soft ice cream and frozen yogurt.
- Very powerful soft ice cream machine.
- The machine is equipped with two tanks of 11 liters capacity and dispenses 650 cones/h (75gr cones).
- Thanks to the pump feeding system, the equipment incorporates more air - high overrun - and therefore the dispensed ice cream is lighter and softer. High overrun means higher profit.
- The machine is equipped with tank agitator and stainless steel drip tray.
- Digital control with touch screen.

### Construction

- Air-cooled version requires no water connections that means low operating costs and easy installation.


**APPROVAL:** \_\_\_\_\_




**Electrolux**  
PROFESSIONAL

Soft Served  
Roma Soft Ice Cream Dispenser, 2  
flavours+1mix, electr.control&touch  
panel, 650cones/h-pump


Front



Side



Top



Soft Served  
Roma Soft Ice Cream Dispenser, 2 flavours+1mix, electr.control&touch  
panel, 650cones/h-pump  
The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.05.15



**Electrolux**  
PROFESSIONAL

Soft Served  
Roma Soft Ice Cream Dispenser, 2  
flavours+1mix, electr.control&touch panel,  
650cones/h-pump

### Electric

Supply voltage: 380-400 V/3N ph/50 Hz  
Electrical power, max: 5.1 kW

### Key Information:

Net weight: 221 kg  
Freezing cylinder capacity: 1.95 l  
Preparation system: Pump  
N° of hoppers/grinders: 2  
Hopper capacity: 11 l  
Plug type: IEC/EN 60309-1/2

### Refrigeration Data

Operating temperature  
min.: 20 °C  
Operating temperature  
max.: 40 °C

### Sustainability

Refrigerant type: R452A  
Refrigerant weight: 1465 g



Soft Served  
Roma Soft Ice Cream Dispenser, 2 flavours+1mix, electr.control&touch  
panel, 650cones/h-pump  
The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.05.15