

## Frozen Frozen granita dispenser with 3 bowls, electronic control and lighted panel

ITEM #	
MODEL #	
NAME #	
SIS #	
ΔΙΔ #	



562513 (IPRO3ELR290)

Frozen Granita Dispenser with 3X11 I insulated bowls, electronic control and lighted panel, R290

## **Short Form Specification**

#### Item No.

Frozen granita dispenser with 3 bowls; the ITANK ™ Technology prevents ice accumulation on the outer side of the bowl and the bowl shape allows a natural mixing action to ensure an optimum consistency of the product. Customizable lid merchandiser and back graphic. Electronic control system and touch screen keypad. Front illuminated panel. Sliding drip tray.

#### **Main Features**

- Ideal for the production of slush.
- The ITANK ™ Technology prevents ice accumulation on the outer side of the bowl, reducing condensation and increasing the cooling power of the machine.
- Bowl shape allows a natural mixing action to ensure an optimum consistency of the product.
- Customizable lid merchandiser and back graphic.
- Daily and weekly machine programming functionality.
- The front illuminated panel provides customers with the opportunity to advertise their product and maximise impulse buying.
- The insulated tank guarantees higher cooling efficiency and lower effect of the external temperature on product's preparation and maintenance time reducing condense and draining; it is the best solution in hot climate conditions.

### Construction

- Electronic control system and touch screen keypad.
- Sliding drip tray.

## Sustainability




 When the product reaches the right consistency, an automatic stand-by mode activates in order to save energy and reduce CO2 emissions.

#### APPROVAL:







Frozen
Frozen granita dispenser with 3 bowls, electronic control and lighted
panel
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.



# Frozen Frozen granita dispenser with 3 bowls, electronic control and lighted panel

**Electric** 

Supply voltage: 220-240 V/1 ph/50 Hz

Electrical power, max: 1.29 kW

**Key Information:** 

Net weight: 81 kg

Sustainability

Refrigerant type: R290 Refrigerant weight: 108 g

