

## Modular Cooking Range Line thermaline 90 - Full Module Electric Chargrill, 1 Side (Marine)

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA#	



589911 (MCDEEAH1DM)

Electric Chargrill on base, H3, one-side operated -Marine

### **Short Form Specification**

#### Item No.

Unit constructed according to DIN 18860\_2 with 20 mm drop nose top. Internal frame for heavy duty sturdiness in stainless steel. 2 mm top in 1.4301 (AISI 304). Flat surface construction, easily cleanable. THERMODUL connection system enables seamless worktop when units are connected and avoids soil penetrating. Heavy duty enamelled cast iron cooking grids with stainless steel handle for easy removal. Special system utilizing stainless steel heat spreading shields below the radiants (PATENT PENDING), to avoid burner clogging, minimize flare ups, and provide even heat distribution. Burners are protected by 1.4509 (AISI 441) stainless steel deflective trays. Fulllength grease collection drawer with filling indicator to collect residual cooking grease. Metal knobs with embedded hygienic silicon

IPX4 water resistance certification. Configuration: One-side operated top. The base is supplied by the factory.

#### **Main Features**

- All major components may be easily accessed from the front.
- Special system utilizing stainless steel heat spreading shields below the radiants (PATENT US9591947B2 and related family) avoiding burner clogging and minimizing flare ups while providing an even heat distribution throughout the cooking surface.
- Stainless steel high splash guards on the rear and sides of cooking surface.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.
- Metal knobs with embedded hygienic "soft-touch" grip for easier handling and cleaning. The special design of the controls prevents infiltration of liquids or soil into vital components.
- Burners are protected by 1.4509 (AISI 441) stainless steel deflective trays avoiding flare-ups and providing even heat distribution.
- Full-length grease collection drawer with filling indicator, to collect residual cooking grease, and handle to facilitate manipulations.
- Cooking grids made in highly resistant enameled cast iron for easy cleaning.

#### Construction

- 2 mm top in 1.4301 (AISI 304).
- IPx4 water protection.
- Unit constructed according to DIN 18860\_2 with 20 mm drop nose top and 70 mm recessed plinth.
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in 1.4301 (AISI 304).
- Unit constructed according to DIN 18860\_2 with 20 mm drop nose top.

# Included Accessories Optional Accessories

thermaline 90 units, left

Optional Accessories		
• Scraper for HP electric grill	PNC 206436	
• Connecting rail kit, 900mm	PNC 912502	
• Stainless steel side panel, 900x700mm, freestanding	PNC 912512	
• Portioning shelf, 800mm wid	dth PNC 912526	
• Portioning shelf, 800mm wid	dth PNC 912556	
• Folding shelf, 300x900mm	PNC 912581	
• Folding shelf, 400x900mm	PNC 912582	
• Fixed side shelf, 200x900m	m PNC 912589	
• Fixed side shelf, 300x900m	m PNC 912590	
• Fixed side shelf, 400x900m	m PNC 912591	
• Endrail kit, flush-fitting, left	PNC 913111	
• Endrail kit, flush-fitting, right	PNC 913112	
• Endrail kit (12.5mm) for	PNC 913202	

#### APPROVAL:






# Modular Cooking Range Line thermaline 90 - Full Module Electric Chargrill, 1 Side (Marine)


• Endrail kit (12.5mm) for thermaline 90 units, right	PNC 913203	
• Stainless steel side panel, left, H=700	PNC 913222	
<ul> <li>Stainless steel side panel, right, H=700</li> </ul>	PNC 913223	
<ul> <li>T-connection rail for back-to-back installations without backsplash (to be ordered as S-code)</li> </ul>	PNC 913227	
<ul> <li>Endrail kit, (12.5mm), for back-to- back installation, left</li> </ul>	PNC 913251	
<ul> <li>Endrail kit, (12.5mm), for back-to- back installation, right</li> </ul>	PNC 913252	
<ul> <li>Endrail kit, flush-fitting, for back-to- back installation, left</li> </ul>	PNC 913255	
<ul> <li>Endrail kit, flush-fitting, for back-to- back installation, right</li> </ul>	PNC 913256	
<ul> <li>Side reinforced panel only in combination with side shelf, for freestanding units</li> </ul>	PNC 913260	
<ul> <li>Side reinforced panel only in combination with side shelf, for back-to-back installations, left</li> </ul>	PNC 913275	
<ul> <li>Side reinforced panel only in combination with side shelf, for back-to-back installation, right</li> </ul>	PNC 913276	
• Filter W=800mm	PNC 913665	





## Modular Cooking Range Line thermaline 90 - Full Module Electric Chargrill, 1 Side (Marine)






D = Drain

EI = Electrical inlet (power)
EQ = Equipotential screw

WI = Water inlet



**Electric** 

**Supply voltage:** 440 V/3 ph/50/60 Hz

Electrical power, max: 10.8 kW
Total Watts: 10.8 kW

**Key Information:** 

External dimensions, Width: 800 mm
External dimensions, Depth: 900 mm
External dimensions, Height: 700 mm
Net weight: 150 kg

On Base;One-Side

Configuration: Operated

Sustainability

Top

Energy consumption, Min/

**Max**: 0 - 0 m<sup>3</sup>/h

